HALF YEARLY COMPLIANCE REPORT FOR GRANITE STONE QUARRY

File No. 1545/EC2/2019/SEIAA Dated 23/07/2022

Building Stone Quarry Project of Sri. Ulahannan

Situated At

Re-Sy. No.57/16, 57/1270, 57/1069 & 57/1273 in Valad Village, Mananthavady Taluk, Wayanad District, Kerala.

October 2023 - March 2024

Prepared By PRIME TECHNOLOGY SERVICES

Planet Resources Management Experts

4D Kalpaka Fort Palace, Changampuzha Park, Edappaly, Cochin-24

Mail: primetechnologyservices@yahoo.com

Ph: 8089085335

To,

The Director MoEF&CC,

Regional Office (South Zone), KendriyaSadan,

IVthfloor, E&F Wing ,17th main Road,

Second Block, Koramangala Banglore.

Respected Sir,

Sub: Half Yearly Compliance Report of Granite Stone Mine Project- October 2023 – March 2024.

Ref: File No. 1247/EC1/2019/SEIAA Dated 31/12/2019

With reference to the above we are submitting Half Yearly Compliance report for the EC order, mentioned above. Also enclosed here, copy of consent to Establish from Kerala SPCB, and Compliance Monitoring report of the last season.

Mr.Ulahannan

M

Place: Wayanad

Date: 30/04/2024

(Authorized Signatory)

Copy to,

Member secretary / Chairman

SEIAA Kerala

KSRTC Complex, Thampanoor

Thiruvananthapuram, Kerala

INDEX

Sl.No	Particulars	
1	Introduction	
2	Specific Conditions	
3	General Conditions	
4	Annexures	

LIST OF ANNEXURES

Annexure No	Specifications
1	Environmental Clearance
2	Quarrying Lease
3	Consent from KSPCB
4	Explosive License
5	Certificate of Mines Manager
6	Panchayat License
7	CSR Activities
8	NONEL Purchasing Bill
9	Environmental Monitoring Cell Minutes
10	Environmental Monitoring Results
11	Site Photos

1. INTRODUCTION

The Building Stone Quarry Project situated at Re-Sy. No.57/16, 57/1270, 57/1069 & 57/1273 of Valad Village, Mananthavady Taluk, Wayanad District., Kerala.

Building Stone Quarry project of Sri. Ulahannam was obtained with the Environmental Clearance (File No. 1247/EC12019/SEIAA) by State Environmental Impact Assessment Authority on 31/12/2019 As part of general condition No.37 of Environmental Clearance order and EIA Notification the half yearly compliance report needs to be submitted by the project proponent.

This report contains the compliance of conditions of Environmental Clearance for the period of October 2023 – March 2024

.

COMPLIANCE TO THE CONDITION STIPULATED IN THE ENVIRONMENTAL CLEARENCE ISSUED BY STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, KERALA.

2. SPECIFIC CONDITIONS

Table 2. SPECIFIC CONDITIONS

Sl.No	Specific Conditions	Compliance Status
1.	Ensure that there is no slope failure by taking appropriate ameliorative measures	We assure that all appropriate ameliorative measures will take for ensuring there is no slope failure.
2.	there in an abandoned old quarry near to	Mineral Concession rules with provision of mining plan with systematic mining procedures came into practice only after 2015. Hence
3.	Environmental Responsibilities for an amount of Rs.3 lakhs shall be carried out leading to protection and promotion of	

4.	The proponent shall carry out quarrying as
	per the approved Mining plan and the
	proponent should strictly follow the kerala
	minor mineral concession Rules 2015 and
	amendments thereby

We assure that all the quarrying activities will be carried out as per the Approved Mining Plan and strictly follows all the Kerala Minor Concession Rules 2015 and amendments thereby

information provided by the Department of Mining & Geology, it is directed to use only NONEL technology for blasting to reduce and wildlife. the vibration of the ground, which is one of causative factors the that triggers landslides, formation of cracks in the surrounding building and disturbance to human and wildlife

In the wake of occurrence of large scale We assure that it is directed to use only NONEL landslides in the state, as per the technology for blasting to reduce the vibration of the ground, ehich is one of the causative factors that triggers landslides, formation of cracks in the human

3. GENERAL CONDITIONS

Table 3. GENERAL CONDITIONS

Sl.		
No	General Conditions	Compliance Status
	Rain Water Harvesting facility should be installed	Provided rain water harvesting pond in
1	as per the prevailing provisions of KMBR /KPBR,	the project area to collect rain water and
	unless otherwise specified.	utilize in the project area itself. The
		dimensions of Rain Water Harvesting Tank
		are 20mx25mx3m & it capacity is
		1500KL
	Environment Monitoring Cell as agreed under the	Environmental monitoring cell was
2	affidavit filed by the proponent should be formed	constituted and Implemented
	and made functional.	them
		responsibilities as well
		Already site have a green belt, planted
		650 nos of trees at the boundary (Safe
3	Suitable avenue trees should be planted along	Buffer zone) This shall be maintained
	either side of the tarred road and open	well. Trees like Anjili, Mango, Ashoka,
	parkingareas, if any, including of approach	Teak, Vaka, Bamboo, Passion fruit,
	road and internal roads.	Jackfruit Tree, Puli, Perumaram were
		planted
	Maximum massible Salan Energy concretion and	As part of energy conservation, the
	Maximum possible Solar Energy generation and utilization shall be ensured as an essential part of	project proponent has installed solar
4	the project	street light in the project site to generate
	the project	and utilize maximum renewable energy
		. About 3KW of 13 Solar Street Lights were provided in the quarry site
		Sprinklers are available at the site and are
	Sprinklers shall be installed and used in the project	using at the time of generating dust from
5	site to contain dust emissions.	the site and make wet the internal roads
	site to contain dust emissions.	daily. About 10 nos of sprinklers were
		provided in the quarry site.
	Eco-restoration including the mine closure planshall	
	be done at the own cost of the project	including the mine closure plan shall be
6	proponent.	done at the own cost of the project
		proponent.
	At least 10 percent out of the total excavated pit	
	area should be retained as water storage areas and	At the time of closure of the mine, it shall
7	the remaining area should be reclaimed with	ensure that directions contained are
	stacked dumpings and overburden and planted with	scrupulously followed
	indigenous plant species that are eco-friendly.	

8	Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented	As part of inclusive growth of the community, the project proponent has carrying out various activities under (CSR)/(CER) and has been following the plan as committed. Documentary evidences of few cases of the CSR activities attached.
9	The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc) shall be protected at all times and shall be conspicuous.	The direction contained shall be scrupulously followed. To demarcate the lease area and to prevent falling of animals/human being/dumping of garbage etc, the project proponent has installed barbed metal wire fencing around the lease area
10	Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.	As per the stipulation of Explosive department, the project proponent has installed siren as warning alarm in the quarry site. Siren rang before the blasting time in order to give warning to the workers and public. The blasting timings are displayed in the prominent area by way of caution board.
11	Control measures on noise and vibration prescribed by KSPCB should be implemented.	Limited the operation of quarry in specific time only as directed by the KSPCB and has been following the directions and complying them. The following control measures are undertaken to bring down the noise levels:- •Proper maintenance of machinery equipment's and improvement of design of machines.
		 Personal Protective Devices i.e,earmuffs, helmet, and boots etc. are provided to workers. The mining activity is only during day time Noise level at the quarry site should be checked periodically, monitored through a NABL accredited laboratory

		Monitoring Results are attached and the monitored results are well within the permissible limits
12	Quarrying activities should be limited to day time as per KSPCB guidelines.	Limited the operation of quarry in specific time only as directed by the KSPCB and has been following the directions and complying them
13	Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.	Blasting done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency. Obtained Explosive license and following the guideline stipulated. Attached as Annexure 03
14	A licensed person should supervise/control the blasting operations	The project proponent has appointed.
15	Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.	To reduce dust emissions and for the trouble free transportation of materials, the project proponent has properly surfaced the access road to the quarry site. The project proponent is regularly maintaining the access road in good manner.
16	Overburden materials should be managed within the site and the old quarries, if any, should be reclaimed and restored.	Overburden stacked in pre-determined site specified for the purpose
17	Height of benches should not exceed 5m and width should not be less than 5m.	The quarrying activity in the project site is progressing by creating benches of 5m width and 5m height. The formation of benches is under the direction and supervision of competent person.
18	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.	The project proponent is using blasting mat to reduce fly rocks during blasting.
19	Minimg depth should not exceed beyond 40m,unless otherwise specified or not below the level of nearest stream bed,whichever is less	The maximum depth of mining is above general ground level.
20	No mining operations should be carried out at places having a slope greater than 45 ⁰	It is ensured that no mining is carried out at places having a slope greater than 45°, if any.
21	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop	Scrupulously follows the directions contained.

		
	for crushers so that the noise level is kept within	
	prescribed standards given by CPCB/KSPCB.	
22	The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.	We provided adequate Personnel Protective Equipments (PPE) such as helmets, ear muffs, safety belts, glows, etc. to ensure the safety of workers in working site
23	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize Storm Water.	We are very conscious to prevent all quarry waste to enter in the public drainage or stream. The project proponent has constructed Garland drains with silt traps were suitably constructed all along the periphery of the pit area. Garland Drains collect the run-off from the lease area and divert into the desiltation tanks proposed within the complex. The surface runoff from the benches will runs into desiltation tank through the garland channel and then passes through the check dam into the natural drainage. All measures were taken not to disturb the existing drainage pattern adjacent to the other property. Desiltation tank installed for silt removal. Cleaning of Desiltation tank were done periodically. Clear water is letting out.
24	The transportation of minerals should be done in covered trucks to contain dust emissions.	To avoid dust emission from the vehicle while transportation of materials the project proponent assures that the trucks are covered before leaving the site.
25	The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.	This will be considered at the time of mine closure
26	Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.	Shall be disposed through the authorized recyclers
27	Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.	Magazine keep at an isolated area located at more than 50 m from the mining area
28	Norms of KSPCB should be adhered to regarding distance criteria of residences,roads,rivers and worship places	Norms of KSPCB should be adhered to regarding distance criteria of residences,roads,rivers and worship places strictly followed. The Minimum Dwelling Distance from Quarry is 210m.
29	200m buffer distance should be maintained from forest boundaries.	Forest area is not there in this locality


	Consent from Kerala State Pollution Control	Obtained consent from KSPCB Attached
		as Annexure 02
30	obtained before initiating activity.	
		Quarrying lease
	All other statutory clearances should be obtained, as	NOC from pollution Control
	applicable, by project proponents from the	Board
31	respective competent authorities including that for	
31	blasting and storage of explosives.	SEIAA
	blasting and storage of explosives.	NOC from Explosive Dept.
		D&O License from the LSGD
		The company shall abide by the directions
		of SEIAA Kerala. At present the project
		is running as per plan submitted in
	In the case of any change(s) in the scope of the	Environmental Impact Assessment
32	project, the project would require a fresh appraisal	Authority, Govt. of India and approved
	by this Authority.	mining plan. There is no change in the
		scope of the project. The project will seek
		for a new Environmental clearance in the
		case of any changes in the
		scope of the project.
	The Authority reserves the right to add additional	
33	safeguard measures Subsequently, if found necessary,	
	and to take action including revoking of	directions of SEIAA Kerala
	the environment clearance under the provisions of the	
	Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard	
	measures in a time bound and	
	satisfactory manner.	
	The stipulations by Statutory Authorities under	Strict Compliance is adhered to and is
	Iditterent Acts and Notifications should be complied	Strict Compliance is adhered to and is reviewed periodically by the top
	with including the provisions of Act 1974 the Air	reviewed periodically by the top management. Monitoring reports of air,
34	(Prevention and control of Pollution) act 1981, the	noise, water attached
	Environment (Protection) Act, 1986, the Public	moise, water attached
	Liability (Insurance) Act, 1991 and EIA	
	Notification, 2006.	
	The project proponent should advertise in at least	
	two local newspapers widely circulated in the	
	region, one of which (both the advertisement and	
35	the newspaper) shall be in the vernacular language	
	informing that the project has been accorded	
	Environmental Clearance and copies of clearance	
	letters are available with the State Environment	
	Impact Assessment Authority (SEIAA) office and	
	may be seen on the website of the Authority at	
	www.environmentalclearance.nic.in.The	The project was advertised in two widely

	advertisement should be made within 10 days from the date of receipt of the Clearance letter and copy of the same signed in all pages should be	circulated local newspapers in that region. Mathrubhumi (05-11-2014),
	forwarded to the office of this Authority as confirmation.	The Hindu (05-11-2014),
36	A copy of the clearance letter shall be sent by the proponent to concerned GramaPanchayat/ DistrictPanchayat/Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The	Copy of EC has been forwarded to the secretary of Karaserri Grama Panchayat and also EC displayed in the notice board of the mining site
	Environmental clearance shall also be put on the website of the company by the proponent. The proposest shall submit helf yearly reports on	The compliance general is being submitted
37	The proponent shall submit half yearly reports on the status of compliance of the stipulated EC Conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the Status of compliance of the stipulated EC conditions, including results of monitored data on their website. It shall sent to the Regional office of MoEF. Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) Office	
38	The details of Environmental Clearance should be prominently displayed in a metallic board of 3ft X3ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public.	A display board shows all the details about the project and EC provided at the entrance of the quarry site
39	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	An assurance in the form of affidavit was submitted to SEIAA Kerala by the project proponent.

4. ENVIRONMENTAL MONITORING CELL

${\bf Table\ 4.\ Environmental\ Monitoring}$

Sl No	Name	Designation	
1	Sri. Ulahannam	Head of the cell	Frame policies monitoring the activities
3	M/s Prime Technology Srvices	Environmental Consultant	Provide technical guidance for sound environmental friendly business
4	M/S Standard ^s (MoEF recognized Lab)	Environmental Monitoring Agency	Monitor Ambient Air, Noise, water and soil periodically





PROCEEDINGS OF THE ADMINISTRATOR, STATE **ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, THIRUVANANTHAPURAM**

(Present. SABITHA S)

Sub: SEIAA- Environmental clearance for the proposed Granite building stone quarry project in Re-Survey No. 57/16, 57/1270, 57/1069 & 57/1273 in Valad Village, Mananthavady Taluk, Wayanad District, Kerala by Mr. Ulahannan -Granted - Orders issued.

State Environment Impact Assessment Authority, Kerala

No. 1247/ EC1/2019/SEIAA

dated, Thiruvananthapuram 31.12.19

- 1. Application received on 13.02.19 from My Jahannan, Edaputhusseriyil Veedu, Ref: Thalappuzha Valad P.O., Wayanad
 - 2. Minutes of the 4th SEAC meeting held on 12th and 13th March 2019
 - 3. Minutes of the 100th SEAC meeting held on 11th and 12th July 2019.
 4. Minutes of the 102th SEAC meeting held on 26th and 27th August 2019.

 - 5 Minutes of the 105th SEAC meeting held on 28th and 29th October 2019
 - 6. Minutes of 99th SEIAA meeting held on 21st and 22nd November 2019
 - 7...Minutes of 100th SEIAA meeting held on 23rd and 24th December 2019.
 - 8. G.O(Rt.) No.29/2019/Envt dt.12.04.2019

ENVIRONMENTAL CLEARANCE NO.74/2019

Mr. Ulahannan, Edaputhusseriyil Veedu, Thalappuzha, Valad P.O., Wayanad -670644, vide the hardcopy of application received on 13.02.2019, has sought Environmental Clearance under EIA Notification, 2006 for the Granite building stone quarry project in Re-Survey No. 57/16, 57/1270, 57/1069 & 57/1273 in Valad Village, Mananthavady Taluk, Wayanad District, Kerala for an area of 4.2689 Ha. The project comes under Category: B & Schedule: 1 (a) of EIA Notification 2006.

- 2. The proposed project site falls within Latitude 11°48′ 9.01" N to 11°48′ 16.19" N to Longitude 75° 54′ 10.80" E to 75° 54′ 18.94" E. The lease area consists of 4.2689 hectares, which is a private owned land. The proposed project is for quarrying of 1,00,000 MT. The nearest town is Mananthavady about 15 km from the quarry site. The life of mine is about 21 years. The total water requirement is about 3.5 KLD in which 0.5 KLD is for domestic uses, 1.5 KLD for dust suppression and 1.5 KLD for plantation purposes and will be sourced from open well. The total power requirement will be 75 k W, which will be drawn from diesel engine. The expected cost of the project is 1.5 Crore.
- 3. The proposal was placed in 94th SEAC meeting held on 12th & 13th March 2019. The Committee decided to obtain following additional documents from the proponent:
 - 1. Baseline details
 - 2. Monitoring data of Sound and air.
 - 3. Hazard zonation map

The Committee entrusted Dr.P.S.Easa, Dr.S.Sreekumar & Dr.G.Sankar for the site inspection. The committee visited the site on 03.05.2019

- 4. The proposal was placed in 100th SEAC for appraisal on 11th and 12th July. The Committee directed the proponent to submit the following details/documents:
 - It seems that the quarry pond water level is at a lower level than nearest stream.

 Indicate measures to be taken to maintain the same level
 - The Western Side of the proposed quarry especially in the crown section (11°48', 13.92", 75° 54' 12.64") is rather steep with considerable overburden. This section needs special care to prevent any slope failure. The proponent should clarify how he is going to treat that section
 - CSR /CER to be reworked as per the norms
 - The list of plants given in the biodiversity assessment is evidently incomplete. The silver oak and eucalyptus are missing in the list. This needs to be reworked and submitted.
- 5. The proposal was again placed in the 102nd SEAC Meeting held on 26th and 27th August 2019. The Committee directed the proponent to submit a certificate from the Soil Conservation Department regarding hazard occurrence in this village during 2018 &2019

- 6. The proposal was placed in the 105th SEAC Meeting held on 28th and 29th October 2019. The Committee decided to accept the report of the sub-committee and decided to recommend for the issuance of EC subjected to the following specific conditions:
- 1. Quarrying pond water level has to be maintained at the same level and measures have to be taken to ensure this.
- 2. Ensure that there is no slope failure by taking appropriate ameliorative measures.
- 7. The proposal was placed in the 99th SEIAA Meeting held on 21st and 22nd November 2019. Authority decided to defer it for the next meeting. The proposal was placed in 100th SEIAA meeting held on 23rd and 24th December 2019. Authority decided to issue EC for a period of 5 years for the quantity mentioned in the approved Mining Plan subject to the following specific conditions in addition to the general conditions.
 - 1. Ensure that there is no slope failure by taking appropriate ameliorative measures.
 - 2. In the field inspection report it is seen that there in an abandoned old quarry near to the proposed quarry. If this abandoned quarry belongs to the proponent the reclamation of the old abandoned quarry shall be carried out as per the norms fixed by the Director, Mining & Geology within one year, if not the EC given is liable to be cancelled.
 - 3. Activities relating to Corporate Environmental Responsibilities for an amount of Rs.3 lakhs shall be carried out leading to protection and promotion of environment including waste management in the project district as per OM F.No.22-65/2017-IA-III dt.01.05.2018 of MoEF & CC as directed by Directorate of Environment & Climate Change and supervised by District Collector.
 - 4. The proponent shall carry out quarrying as per the approved Mining Plan and the proponent should strictly follow the Kerala Minor Mineral Concession Rules 2015 and amendments thereby.
 - 5. In the wake of occurrence of large scale landslides in the state, as per the information provided by the Department of Mining & Geology, it is directed to use only NONEL (Non Electrical) technology for blasting to reduce the vibration of the ground, which is one of the causative factors that triggers landslides, formation of cracks in the surrounding buildings and disturbance to human and wildlife.
- 8. Environmental Clearance as per the EIA Notification 2006 is hereby accorded for the quarry project of Mr.Ulahannan, Edaputhusseriyil Veedu, Thalappuzha, Valad P.O.,

Wayanad ,Kerala for an area of 4.2689 Ha, for a period of five years for the quantity as approved in Mining plan subject to the specific conditions in para 7 above, all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these proceedings as if incorporated herein. Also the general conditions for projects stipulated for mining (items 1 to 48), appended hereto will be applicable and have to be strictly adhered to.

- 9. The Clearance issued will also be subject to full and effective implementation of all the undertakings given in the application form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The above undertakings and the conditions and the undertakings in Chapter 5 (Mining), Chapter 6 (Blasting), Chapter 7 (Mines Drainage) of the Mining Plan as submitted will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.
- 10. Validity of the Environmental Clearance will be five years from the date of this clearance, subject to inspection by SEIAA on annual basis and compliance of the conditions, subject to earlier review of E.C in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.
- 11. Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the regional office of the Ministry of Environment & Forests, Govt. of India, Bangalore.
 - Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.
 - ii. Instances of violation if any shall be reported to the District Collector, Wayanad
- iii. The Half Yearly Compliance Report (HYCRs) with its contents of a covering letter, compliance report and environmental monitoring data has to be in PDF format merged into a single document. The email should clearly mention the name of the project,EC No and date, period of submission and to be sent to the Regional Office of MoEF & CC by email only at email ID rosz.bng-mefcc@gov.in. Hardcopy of

HYCRs shall not be acceptable.

iv. The given address for correspondence with the authorised signatory of the project is Mr.Ulahannan, Edaputhusseriyil Veedu, Thalappuzha, Valad P.O., Wayanad – 670644

SABITHA S Administrator, SEIAA

To,

Mr. Ulahannan, Edaputhusseriyil Veedu, Thalappuzha, Valad P.O, Wayanad – 670644

Copy to,

- 1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034 and through E-mail ID: <u>rosz.bng-mefcc@gov.in</u>
- 2. The Principal Secretary to Government, Environment Department, Government of Kerala.
- 3. District Collector, Wayanad
- 4. Director, Mining & Geology, Thiruvananthapuram -4.
- 5. The Director, Directorate of Environment and Climate Change, 4th Floor KSRTC

 Bus Terminal Thampanoor, Trivandrum-1
- 6. The Member Secretary, Kerala State Pollution Control Board
- 7. District Geologist, Wayanad
- 8. Tahsildhar, Mananthavady Taluk, Wayanad
- 9. Village Officer, Valad Village, Wayanad
- 10. Chairman, SEIAA.
- 11. Website.
- 12. S/f
- 13. O/c



STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY KERALA <u>GENERAL CONDITIONS</u> (for mining projects)

- 1. A separate environmental management and monitoring cell with qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 2. Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.

3. Sprinklers shall be installed and used in the project site to contain dust emissions.

- 4. Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.
- 5. In view of the deep pits left after the excavation, stacking at maximum top level should be carried out.
- 6. Corporate Environment Responsibility agreed upon by the proponent should be implemented.
- 7. The project proponent shall comply the conditions stipulated by the statutory authorities concerned.
- 8. Tarring /multiple options on the access roads shall be undertaken so as to reduce dust pollution during movement of vehicle.
- Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.
- Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention in the mining plan/specific condition.
- 11. Ground level should be fixed in individual cases separately
- 12. No mining operations should be carried out at places having a slope greater than 45°.
- Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB. This condition is applicable only in such cases if a crusher is adjacent to the quarry.
- 14. The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.
- 15. Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.
- The transportation of minerals should be done in covered trucks to contain dust emissions. The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project. SEAC should assess the number of trees in each project site before the issuance of EC so as to ensure the promptness in planting.
- 17. Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.
- 18. A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.
- 19. 50 m buffer distance should be maintained from forest boundaries.
- 20. Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.
- All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.
- 22. In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority.
- The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.

The project proponent should advertise in at least two local newspapers widely circulated in the 25. region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation. 26.

The Environmental Clearance shall be put on the website of the company by the proponent. 27.

Proponent shall submit half yearly reports in soft copy and SEIAA will upload it on the website. The details of Environmental Clearance should be prominently displayed in a metallic board of 3 28. ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of 29.

The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.

No change in mining technology and scope of working should be made without prior approval of 30. the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable. 31.

The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order

streams, if any, originating from the mine lease shall be taken.

The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be 32. used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 450. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. 33.

Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after 34.

Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM₁₀ and PM_{2.5} such as haul Road, loading and unloading points and transfer points – it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.

Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and

35.

Measures should be taken for control of noise levels below 85 dBA in the work environment. 36. 37.

The funds earmarked for environmental protection measures and CER activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office. 38.

The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of

the Regional Office by furnishing the requisite data/information/monitoring reports.

Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if 39. preferred, within a period of 30 days as prescribed under Section 16 of the National Green 40.

Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

The SEIAA may revoke or suspend the order, for non implementation of any of the specific or 41. thisimplementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of

The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or 42. simplified, contained in any other permit, license on consent given by any other authority for the same project.

The Environmental Clearance will be subject to the final order of the courts in any pending

litigation related to the land or project, in any court of law.

43.

The mining operation shall be restricted to above ground water table and it should not intersect 44. ground water table.

All vehicles used for transportation and within the mines shall have 'PUC' certificate from 45. authorized pollution taking centre. Washing of all vehicles shall be inside the lease area'

Project proponent should obtain necessary prior permission of the competent authorities for 46.


drawal of requisite quantity of surface water and ground water for the project.

Regular monitoring of flow rates and water quality upstream and downstream of the springs and 47. perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.

Occupational health surveillance program of the workers should be under taken periodically to 48.

observe any contractions due to exposure to dust and take corrective measures, if needed.





M:3133/1/2022



കേരളo केरल KERALA

K 912556

FORM H (See Rule 43) QUARRYING LEASE

This deed of lease made on this the 30.... day of 20.22......... between the Governor of Kerala (hereinafter referred to as the "State Government" which expression shall, where the context so admits be deemed to include his successors and assigns) of the one part and Shri. Ulahannan, S/o Joseph, Business, Age 56 Years, Edaputhussery House, Valad(PO), Wayanad District - 670644 (Aadhaar No. 5405 2165 2705) (hereinafter called the "lessee/lessees" which expression shall where the context so admits, include his/their heirs, executors, administrators, representatives and permitted assigns) of the other part.

DISTRICT OFFICE
DISTRICT OFFIC

Value Styl
Date 2VG/In
Issued to

go armin-

Ulahannan (M) Lessee

DISTRICT TREASURY WAYANAD

20.5

NU: 3133/I/2022

Presented in the office of the Sub Registrar of

Mananthavady with photograph and impression
of the presentant / Executant / Claimant affix ad

U/s 32A and Epaid Rs. 96643/—

At 10:20 On the David October 2022

residing at Edaputhussery House

11th day of october 2022

Reju George
Sub Registrar

S/o Joseph Business recident tolent vestiding to the execution of have satisfied and myself as to the execution of this instrument by Geologist District office Dept of Mining of Geology Meeningadi Wayanad who is exempted from personal appearance u/s 88(1) of Registration Act 1908



le

Witnesseth that in consideration of the rents and royalties and lessee's/Lessees' covenants, hereinafter reserved and contained the State Government hereby give on lease to the lessee/lessees the land measuring 4.2689 hectares described in the schedule hereunder and delineated on the plan hereto annexed and therein coloured red (hereinafter called the "said lands") to hold the same for a period of 12 (Twelve) years commencing from the 30.09.2022 and ending on the 29.09.2034 for the purposes of extracting minor mineral/minerals and subject to the terms and conditions contained in the Kerala Minor Mineral Concession Rules, 2015 (hereinafter referred to as "the Rules") and to the terms and conditions hereinafter appearing

- 1. The lessee/lessees shall have the right in and upon the said lands to extract Granite Building Stone (herein after called the said mineral/minerals) and to do all acts necessary for the extraction of the said mineral/minerals including the erection on the said lands, buildings and plant required for the purposes and also to take lead and carry away over the said lands and to dispose of the said minerals extracted as aforesaid.
- 2. The lessee/lessees shall during the subsistence of this lease have the liberty to work the said mineral/minerals and remove the same from the leasehold on permits issued by the State Government/competent authority or any other officer authorized by him in this regard. The permits shall be issued only on the basis of pre-paid royalty at the rates specified in Schedule I to these Rules. The royalty rates shall be subject to revision from time to time as the State Government may order.
- 3. The lessee/lessees shall pay to the State Government a yearly surface rent equal to the land revenue if any, assessable under the rules for the time being in force, or if the land be the property of Government or in reserve forest then equal to the land revenue plus cess, if any, per hectare of the land the surface whereof shall be occupied or used by the lessee/lessees for any of the purposes of this deed and so in proportion for any area less than one hectare. The said surface rent shall be paid by yearly payments; the first of such payments to be made on or before the last day of the first year of occupation provided always that no such rent shall be paid or demanded in respect of any roads or ways now in existence.

Lessor

JEULUGIST

JEULUGIST

DISTRICT OFFICE

DISTRICT O

Ulahannan CM

Identified by

Kcart mbalan Konno Bodel Gertoors. Hos Sto Koyakutty Bosiniss Karassany Koznikoele Lorkshmi Sathom Balanengenon sto Anonthon Norid Former Valat.

Registered as No: 3133 Of 2022 Sub Registrar In book 1st Volume 593 On

Pages 91 To ... 108

Sheet 2 nd Sheet

Reju George Sub Registrar

- 4. The lessee/lessees shall at all times during the currency of this lease keep correct and intelligible books of account showing accurately the quantity of the said minerals extracted and the weight and value of the said mineral sold or exported together with the names of the purchasers or consignees. The lessee shall also maintain a register of employees showing therein separately men, women employed daily and shall at reasonable times allow the competent authority appointed under the rules (hereinafter referred to as "competent authority") or the officer authorized by him to examine the said books of account and the register of employees and to take copies and extracts there from. The lessee/lessees shall submit reports in Forms F and G on the specified dates.
 - 5. All sums found due under or by virtue of this deed from the lessee/lessees may be recovered from him jointly and severally from them and his/their properties movable and immovable under the provisions of the Revenue Recovery Act for the time being in force as though such sums are arrears of land revenue or in any other manner as the State Government may deem fit.
 - 6. The lessee/lessees shall at the lessee's/lessees' own expense erect and at all times maintain and keep in repair boundary marks and pillars along the boundaries of the said lands according to the demarcation shown in the plan here to annexed.
 - 7. The lessee shall not carry on or allow to be carried on any quarrying operations at or to any points within a distance of 100 meters from any railway line except with the previous written permission of the railway administration concerned and any bridge on National Highway or 50 meters from any reservoir, tanks, canals, rivers, bridges, public roads, other public works, residential buildings, the boundary walls of places of worship, burial grounds or burning ghats or one kilometer from the boundaries of National park or Wild life Sanctuaries except with the previous permission of the authorities concerned or the Government or competent authority. Provided that the railway administration or the State Government or any other authority in this behalf may in granting such permission impose such other conditions as may be found proper and necessary.

Lessor GEULUGIST
DISTRICT OFFICE
DISTRICT OFFICE
MINING & GEOLOGY

Ulahannan Lub Lessee

- 8. The sides of open workings shall be sloped, stepped or secured by the lessee in such a manner as to prevent slope failure, when an open working is worked in steps, steps shall be of sufficient breadth in relation to their height to secure safety. In open workings trees liable to fall and all loose ground and material shall be removed by the lessee sufficiently far from the edge or otherwise made source in order to prevent danger to persons employed in the quarry.
- 9. If a working place is found to be unsafe all persons shall be withdrawn by the lessee/lessees immediately from the dangerous area and all access to such working place except for the purpose of removing the danger of saving life shall be prevented by securely fencing the full width of all entrances to the place.
- 10. The lessee/lessees shall at all reasonable times allow any officer authorized by the Central Government or by the State Government in that behalf to inspect the said lands and the buildings and plants erected thereon and the lessee/lessees shall assist such persons in conducting the inspection and afford them all information they may reasonably require, and shall conform to and observe all orders which the Central and State Governments as the result of such inspection or otherwise, may from time to time pass.
- 11. The lessee shall be responsible for implementing the provisions of the various labour laws applicable, from time to time, to the quarry.
- 12. The lessee/lessees shall not assign or underlet the said lands or any part thereof or the rights or privileges, therein hereby granted or any of them without the previous permission in writing of the State Government/competent authority.
- 13. Where the lease or any right, title or interest therein has been assigned, sublet or transferred as provided in rule 45 read with condition 12, then the person in whose favor such assignment, sublease or transfer has been made shall be responsible for implementing the provisions of the various labour laws applicable, from time to time, to the quarry.
- 14. The lease may be surrendered by the lessee/lessees at any time after 3 months notice in writing to the State Government/competent authority: Provided the lessee/lessees has/have paid all sums due on account of the lease. Provided further that if the lessee/lessees elects/elect to determine this lease before the expiry of the term of the lease, shall pay in addition to other dues a sum equal to the dead rent payable for the remaining part of the term of the lease deed.

Lessor Belalou

Ulahannan CIP Lessee

- 16. If the lessee/lessees shall at any time during the said term use the said lands or any part thereof in any manner other than as authorized by this lease or fail to carry on quarrying operations continuously without sufficient cause of which the State Government/competent authority shall be the judge or shall commit a breach of any of the conditions of this lease it shall be lawful for the State Government/competent authority to cancel this lease and take possession of the said lands or the alternative to receive from the lessee/lessees such penalty not exceeding Rs. 25,000/- (Rupees twenty five thousand only) for the breach as the State Government/competent authority may fix.
- 17. If at the expiration of three calendar months after the expiry of the lease or its sooner determination, there shall remain in or the said lands, any engines, machinery, plant, buildings, structures and other works, erections and conveniences, the said minerals or other property which the lessee is/lessees are entitled to remove from the said lands, the same shall, if not removed by the lessee/lessees within one calendar month after notice in writing requiring their removal be given to the lessee/lessees by the State Government/competent authority be deemed to become the property of the State Government in such manner as they may deem fit without liability to pay any compensation or to account to the lessee/lessees in respect thereof.
- 18. This lease subject to all rules and regulations which may from time to time be issued by the State Government regulating the working of the quarries and other matters affecting safety, health and convenience of the lessee's/lessees' employees or of the public, whether under the Indian Mines Act or otherwise.
- 19. The lessee/lessees shall without delay send to the District Collector and the competent authority or the officer authorized by him in this regard report of any accident causing loss of life or serious bodily injuries or seriously affecting or endangering life or property which may at any time occur at or in the said lands in the course of operations under this lease.

Lessor Polahou

Ulahannan (W) Lessee

- 20. The lessee/lessees shall furnish such reports and returns relating to output, labourers employed and other matters as the State Government may prescribe.
- 21. The lessee/lessees shall make and pay such reasonable compensation as may be assessed by lawful authority in accordance with the law in force on the subject for all damage, injury or disturbance which may be done by him/them in exercise of the powers granted by this lease and shall indemnify and shall keep indemnified fully and completely the State Government against all claims which may be made by any person or persons in respect of any such damage, injury or disturbance and all costs and expenses in connection therewith.
- 22. Any condition prescribed in the Kerala Minor Mineral Concession Rules, 2015 but left out in this lease which may be found applicable to the lessee / lessees shall be treated as binding on the lessee/lessees.
- 23. In this case, the anticipated royalty to be remitted for the mineral extracted per year at the present rate of royalty of Rs. 24/- per ton with proposed average annual production of 100000 metric tones is Rs.2400000/- (Rupees Twenty Four lakhs only) and may enhance the quantity of production and period of lease with the prior permission of the lessor and registration of the lease deed amended accordingly.
- 24. In this case, the surface rent to be remitted per year at the present rate of Rs. 5/- per Are per year is Rs.2135/- (Rupees Two Thousand One Hundred and Thirty Five only) and the refundable Security Deposit is Rs.42689/- (Rupees Forty Two thousand Six hundred and Eighty Nine only). 22 copies of this document also attached.

SCHEDULE OF DESCRIPTION OF LAND

District: Wayanad

Taluk : Mananthavady

Village	Re Survey No	Lease Area in Hectares
Valad	57/16, 57/1069, 57/1270, 57/1273	4.2689
Total Area in Hectares		4.2689

Lessor Josephon

Ulahannan Col

Bounded by Survey No:

/On the North by : Survey No. 57/1 On the East by : Survey No. 57/1 On the South by: Survey No. 57/1

On the West by : Survey No. 57/1

In witness whereof the parties hereto have signed on the date and year first above written.

Signed by.....

For and on behalf of the Governor of Kerala.

(1) Mani. K. K. Mineral, Revenue Inspector, Dist: effice, Dept: ex Mining & Geology, Wayanad Memongadi ()

(2) Midhun Madhavan C, Clesk, Dist. office, Dept of Mining and Geology way anad, meenom gadi

Signed by Clahanso Co

For and on behalf of the lesee/lessees

(1) Abelul Gatoor Isik. Kersimbalunkunu. Sto. Koyakutty Kakkal. Kerassery. mukkom. Kozhikale. stole.

(2) Luna Baby Do E.J. Wahannan Edaputhusery (H)


Valad (P.O), Manathavady, Wayanad. http.

Prepared by P Parameswaran L.NO.WDB 12, WSB 22

S/o Lakshmi Amma, Puthookkara (H) Nallurnadu.P.O,

Corrections.Nil.

alghannes Col




Duplicate II


There is no difference between Original and Duplicate In this duplicate intertenation. Scorning et jul Compared, Reader Uf Lauturephile Out (Description) Examined Sreyer warrier elevels whis

uth day of October 2022

Reju George Sub Registrar







FILE NO: PCB/WND/ICO/R20WAY560146/2020

Date of issue: 04/03/2020



KERALA STATE POLLUTION CONTROL BOARD

CONSENT TO

· OPERATE/AUTHORISATION/REGISTRATION

ISSUED UNDER

The Water (Prevention & Control of Pollution) Act, 1974 The Air (Prevention & Control of Pollution) Act, 1981

and

The Environment (Protection) Act, 1986

As per Application No. :12752310 Dated:11-02-2020

TO

M/s QUARRY OWNED BY ULAHANNAN
Valad,
Valad (PO)
Wayanad - 673591

Consent No.: PCB/WND/ICO/161/2020

Valid Upto :30/12/2024

1. GENERAL

1.1. This integrated consent is granted subject to the power of the Board to withdraw consent, review and make variation in or revoke all or any of the conditions as the Board deems fit.

1	VALIDITY	30/12/2024
2	Name and Address of the establishment	QUARRY OWNED BY ULAHANNAN VALAD VALAD (PO) 670644
3	Communication	Telephone :0-9946779938 Fax :- E-mail:gafoor.eis@gmail.com
4	Occupier Details	Ulahahannan Joseph, Edaputhusseriyil Veedu, Valad (PO), Wayanad-670644
5	Local Body	Thavinhal
6	Survey Number	57/16,1069,1270,1273
7	Village	Valad
8	Taluk	MANANTHAVADY
9	District	WAYANAD
10	Capital Investment(Rs in Lakhs)	150
11	Scale	Small
12	Category	RED
13	Annual fee(Rs)	Rs.25,000/-
	Total Fee remitted(Rs)	Rs.1,25,000/-
14	RAW MATERIAL	PRODUCTS
14	Quarry	Quarrying from 3.6870 HA Area Quarrying in 3.6870 hectares of land in survey nos. 57/16,1069,1270 and 1273 of Valad village,Mananthavady Taluk of Wayanad district.
15	Total Power Required (HP)	Nil

2. CONDITIONS AS PER

The Water(Prevention and Control of Pollution)Act, 1974

- In case of generation of trade effluent from the industry, effluent treatment system consisting of treatment units having adequate capacity established as per the Integrated Consent to Establish issued shall be operational at all times during which the industry is functional. Additional facilities required, if any, to achieve the standards laid down by the Board u/s 17(1) (g) of the Water Act shall also be made along with.
- 2.2 Water consumption: 3500 L/day
- 2.3 Effluent generation: 400 L/day
- 2.4 The characteristics of effluent after treatment shall confirm to the following tolerance limits:

TNO	Characteristics	Unit	Tolerance Limit	
SI.NO.	Characteristics		Sewage	Trade Effluent

- 1. This consent is valid only for a period mentioned above or till all other statutory clearances and NOC from the District Collector are valid, whichever is lesser.
- 2. Any adverse order/judgment passed by the Hon'ble Supreme Court, Hon'ble High Court, Hon'ble National Green Tribunal in the matter pertaining to rocks quarrying in Kerala state, will make this consent invalid.
- 3. Any adverse Government order passed in the matter of rock quarrying by the Central Government, State Government & Pollution Control Board, will make this consent invalid.
- 4. This Consent to Operate is issued only in accordance with norms and parameters of the Board as per the Air (Prevention & Control of Pollution) Act, 1981 and is not a permit / license to carry out mining operations/quarrying operation. Necessary permits / licenses for mining operation shall be obtained from competent authorities before starting operations
- 5. If required the consentee shall produce Environmental Clearance (EC) to the appropriate authorities.
- 6. It is the responsibility of occupier to ensure that quarrying activities are restricted to a distance more than 50 m from the nearby residences and public roads having vehicular traffic.
- 7. The sound level (Leq) at 1m outside the boundary of the site should not exceed the ambient noise standard applicable to the adjacent area.
- 8. The PM10 in the ambient air at the boundary shall not exceed 100 $\mu g/m3$.
- 9. The PM2.5 in the ambient air at the boundary shall not exceed 60 μ g/m3.
- 10. proper fencing shall be maintained around the quarrying area.
- 11. Occupier should ensure that quarrying activities are carried out only in the specific area shown in the attached drawing.

DATE: 04/03/2020

SHIJU M A

Digitally signed by SHIJU M A Date: 2020.03.16 10:47:33 +05'30'

SIGNATURE & SEAL OF ISSUING AUTHORITY

ENVIRONMENTAL ENGINEER, DISTRICT OFFICE, WAYANAD



To

Ulahahannan Joseph, Edaputhusseriyil Veedu, Valad (PO), Wayanad-670644

Application No: 12752310

2.5 Mode of disposal of treated effluent: Soak pit

3. CONDITIONS AS PER

The Air(Prevention and Control of Pollution)Act, 1981

3.1 Adequate air pollution control measures shall be operational at all times during the functioning of the industry. Additional facilities required, if any, to achieve the standards laid down by the Board shall also be made along with.

Stack No.	Sources of Emission	Emission Rate(Nm3/Hr)	Stack Height	above	Control Equipment
			Ground Level	Roof Level	

3.2 Emission characteristics shall not exceed the following:

SI.No.	Parameter	Limiting Standards (mg/Nm3)
	2 0.000	Difficing Standards (file/14111)

4. CONDITIONS AS PER

The Environment (Protection) Act, 1986.

- 4.1 The operation of the industry shall be strictly in compliance with the provisions of the Noise Pollution (Regulation and Control) Rules 2000.
- Used lead acid batteries shall be disposed of as per the Batteries (Management and Handling) Rules, 2001
- Hazardous waste generated, if any, shall be handled as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- 4.3.1 Activities for which Authorisation is granted

Collection	transport
Reception	Storage
Treatment	Reprocessing/Disposal

4.3.2 Type, quantity and mode of storage/collection/disposal of hazardous wastes shall be as follows:


SI.No.	Hazardous Waste	Schedule Category	Quantity Tonne/year


Mo	ode of
Storage	Disposal

4.4 E-waste shall be disposed off safely as per the E-Waste (Management)Rules, 2016.

5. SPECIFIC CONDITIONS

- 1. This digitally signed document is legally valid as per the Information Technology Act 2000
- 2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.







भारत सरकार | Government of India

वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry

पेटोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)

पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives

A और D - विंग, ब्लॉर्क 1-8, दूसरा तल, शास्त्री भवन | A & D - Wing, Block 1-8, IInd Floor, Shastri Bhavan 26 हड्डोउस रोड, नुंगम्बक्कम चेन्नै | 26 Haddous Road, Nungambakkam Chennai 600006 फोन (Phone):- 28281023 | फैक्स (Fax):- 28284848

दिनांक (Date): 12/05/2023 संख्या (No.): E/SE/KL/22/329(E129465)

सेवा में | To,

Shri ULAHANNAN.

Edaputhusseriyl House, Thalapuzha, Valat P.O., Town/Village - Valat

District-WAYANAD, State-Kerala, Pincode - 670644

Survey No.49/304(O.S. 49/1A2A1A1), ग्राम Kunnamangalam Desom, Nalloornad Village, Mananthava, जिला WAYANAD, राज्य Kerala में मेसर्स Shri ULAHANNAN द्वारा

विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/SE/KL/22/329(E129465) के संशोधन संदर्भ में।

(विस्फोटक की मात्रा / मासिक खरीद सीमा में परिवर्तन आरेखण / सुविधाएं / परिसर में परिवर्तन)

Possession for Use of of Explosives from magazine situated at Survey No.:49/304(O.S. 49/1A2A1A1), Kunnamangalam Desom, Nalloornad Village, Mananthava, Dist. Subject:

WAYANAD, Kerala -Licence No.: E/SE/KL/22/329(E129465) granted in Form LE-3 of Explosives Rules, 2008 -

(Amendment of Quantity of Explosives/Monthly Purchase Limit Amendment in Drawings/Facilities/Premises).

महोदय | Sir,

आपका उपर्युक्त विषय पर पत्र संख्या ८९२९६ दिनांक १२/०५/२०२३ का संदर्भ ग्रहण करें।

Please refer to your letter no. 89296 dated 12/05/2023.

अनुज्ञप्ति संख्या E/SE/KL/22/329(E129465) usage of Explosives at the Proposed Granite Building Stone Quarry of the Licensee Situated at Re. Survey No. 57/16,1270,1069,1273, Valad (Vill), Manathavady (Tk), Wayanad (Dt) wide the Dept. of Mining & Geology, Wayanad Quarry Lease No. WAY/QL/2022/3, dated 30.09.2022 (Valid upto 29.09.2034) under the following conditions. I.Opening of Mines should be intimated to DGMS and Director of Mines & Geology. 2.Blasting Operations should be conducted as per Mines Act & Rules. 3. Usage of Explosives to be as per Explosives Rules, 2008 and all records to be maintained as per the Explosives Rules, 2008. 4. All unused Explosives should be returned to Explosive magazine before Sunset. के संदर्भ में यथा संशोधित कर भेजी जा रही है।

The Licence No.: E/SE/KL/22/329(E129465) is forwarded herewith duly amended in respect of followings;

usage of Explosives at the Proposed Granite Building Stone Quarry of the Licensee Situated at Re. Survey No. 57/16,1270,1069,1273, Valad (Vill), Manathavady (Tk), Wayanad (Dt) wide the Dept. of Mining & Geology, Wayanad Quarry Lease No. WAY/QL/2022/3, dated 30.09.2022 (Valid upto 29.09.2034) under the following conditions. 1.Opening of Mines should be intimated to DGMS and Director of Mines & Geology. 2.Blasting Operations should be conducted as per Mines Act & Rules. 3.Usage of Explosives to be as per Explosives Rules, 2008 and all records to be maintained as per the Explosives Rules, 2008. 4.All unused Explosives should be returned to Explosive magazine

किसी भी एक समय में लाइसेंस क्षमता निम्नलिखित वर्ग तथा मात्रा से अधिक नहीं होगी।

The licence capacity at any one time shall not exceed the kinds and quantities mentioned below;

संख्या No	विस्फोटक Explosive(s)	वर्ग Class	प्रभाग Div	उप-प्रभाग Sub Div	क्षमता Capacity	इकाई Unit
1	Nitrate Mixture	2	0	0	300	Kg.
2	Safety Fuse	6	1	0	750	Mtrs
3	Electric/Non Electric(Nonel) Detonators	6	3	0	4000	Nos.

किसी एक कलैंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा (अनुच्छेद 3 (ख) और (ग) के अधीन अनुज्ञप्ति के लिए लागु) : **8 गुना** Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)]: 8 times as above.

यह अनुज्ञप्ति दिनांक 31 मार्च 2026 तक प्रवृत्त रहेगी।

This Licence shall remain valid till 31st day of March 2026.

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया विस्फोयटक नियम, 2008 के नियम 112 के अंतर्गत प्रक्रिया का पालन करें। कृपया पावती दें।

For further revalidation(if required), please follow the procedure under Rule 112 of Explosives Rules, 2008. Receipt of this letter may please be acknowledged.

भवदीय | Your's faithfully

(डा.टी.एल.थनुलिंगम | Dr. T. L. THANULINGAM)

उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives कृते संयुक्त मुख्य विस्फोटक नियंत्रक | For Joint Chief Controller of Explosives दक्षिणांचल, चेन्ने | South Circle, Chennai

प्रतिलिपि प्रेषित | Copy Forwarded to:

1. उप मख्य विस्फोटक नियंत्रक कोच्ची

The Dy. Chief Controller of Explosives, Kochi

- 2. District Magistrate, WAYANAD, Kerala with reference to his Noc No: DCWYD/7146/2020-M1 Dated: 06/05/2021
- 3. Superintendent of Police, WAYANAD, Kerala.

कृते संयुक्त मुख्य विस्फोटक नियंत्रक | For Joint Chief Controller of Explosives दक्षिणांचल, चेन्नै | South Circle, Chennai

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट http://peso.gov.in देखें.) (For more information regarding status, fees and other details please visit our website http://peso.gov.in)

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

> Digitally signed by Dr T L THANULINGAM Reason: Licence No.: E/SE/KL/22/329 Location:Chennai [E129465] Date:12-05-2023 11:04:23 AM

अनुज्ञप्ति प्ररुप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।) (See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1.2.3.4.5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनज़प्ति

Licence to possess: (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.) : E/SE/KL/22/329(E129465)

वार्षिक फीस रुपए (Annual Fee Rs): 2400/-

1. Licence is hereby granted to

Shri ULAHANNAN (अधिभोगी / Occupier : Shri ULAHANNAN), Edaputhusseriyl House, Thalapuzha, Valat P.O., Town/Village -Valat, District-WAYANAD, State-Kerala, Pincode - 670644



को अनुज्ञप्ति अनुदत्त की जाती है।

- 2. अनुज्ञप्तिधारी की प्रास्थिति | Status of licensee : Individual
- 3. अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है। possess for use of Nitrate Mixture, Safety Fuse, Electric/Non Electric(Nonel) Detonators, - के उपयोग के लिए Licence is valid only for the following purpose.
- 4. अनुज्ञप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।

Licence is valid for the following kinds and quantity of explosives: -- $(\overline{\Phi})$ (a)

क्र	नाम और विवरण	वर्ग और प्रभाग	उप-प्रभाग	मात्रा किसी एक समय में
Sr. No.	Name and Description	Class & Division	Sub-division	Quantity at any one time
1.	Nitrate Mixture	2,0	0	300 Kg.
2.	Safety Fuse	6,1	0	750 Mtrs
3.	Electric/Non Electric(Nonel) Detonators	6.3	0	4000 Nos.

(ख) किसी एक कलैंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए] 8 times as above. (b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)]:

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्त परिसर की पृष्टि होती है। The licensed premises shall conform to the following drawing(s): . रेखाचित्र क्र. (Drawing No.) E/SE/KL/22/329(E129465)

दिनांक (Dated) 12/05/2023

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:

Survey No. 49/304(O.S. 49/1A2A1A1) , ग्राम (Town/Village) : Kannamangalam Desom, Nalloornad Village, Mananthava Yiri पीनी (Police Station) : Mananthavady

जिला (District) WAYANAD 670644 राज्य (State) Kerala पिनकोड (Pincode) ई. मेल (E-Mail) 9947671123 दूरभाष (Phone)

7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं। 2 Portable magazines of H & B types bearing Sl.Nos.62 & 22 respectively, fabricated by

M/s.Thekkans Enginneering & Fabrication Works, Ernakulam The licensed premises consist of following facilities.

8. अनुज्ञप्ति समय – समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधो, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबध्दों के अधीन रहते हए अनुदत्त की जाती है।

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

1. उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हए)।

Drawings (showing site, constructional and other details) as stated in serial No. 5 above.

2. अनुज्ञप्ति प्राधिकारी व्दाररा हस्ता क्षरित इस अनुज्ञप्ति की शर्तें और अतिरिक्ति शर्तें। Conditions and Additional Conditions of this licence signed by the licensing authority.

3. दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख 31 मार्च 2026 तक विधिमान्य रहेगी। This licence shall remain valid till 31st day of March 2026.

यह अनुज्ञप्ति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची v के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुज्ञप्ति की शर्तों का अधिक्रमण करने या यदि अनुज्ञप्त परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख | The Date - 02/08/2021

उप मुख्य विस्फोटक नियंत्रक | Dv. Chief Controller of Explosives Ernakulam

Amendments:

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated: 28/02/2023
- Amendment in Drawings/Facilities/Premises dated: 12/05/2023
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated: 12/05/2023


नवीनीकरण के पृष्ठांकन के लिए स्थान Space for Endorsement of Renewal

अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प नवीकरण की तारीख समाप्ति की तारीख Date of Renewal Date of Expiry Signature of licensing authority and stamp

> कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरूपयोग विधि के अधीन गंभीर दांडिक अपराध होगा। Statutory Warning: Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

> Digitally signed by Dr T L THANULINGAM Reason: Licence No.: E/SE/KL/22/329 Location:Chennai [E129465] Date:12-05-2023 11:04:51 AM







POOVARASAN N

Cert No. SMR-E /8648

भारत सरकार/Government of India
खान अधिनियम, 1952/Mines Act, 1952
खनन परीक्षा बोर्ड/Board of Mining Examinations
द्वितीय श्रेणी प्रबंधक सक्षमता प्रमाण-पत्र

SECOND CLASS MANAGER'S CERTIFICATE OF COMPETENCY

(केवल ओपनकास्ट खानों तक सीमित)

(Restricted to mines having opencast workings only) (धात्विकीय खान विनियम, 1961 के अन्तर्गत) (Under the Metalliferous Mines Regulations, 1961)

व पुवरसन एन.

सुपृत्र

नल्लवन के.

जिनको जन्म तिथि 20.01.1997 है, को विहित अर्हताएं एवं अनुभव ग्राप्त करने का सन्तोषजनक प्रमाण प्रस्तुत करने पर एतद्द्वारा केवल ओपनकास्ट धात्विकीय खानों के प्रबंधन हेतु दितीय श्रेणी प्रबंधक सक्षमता प्रमाण-पत्र प्रदान किया जाता है। यह प्रमाण-पत्र दिनांक 01 फरवरी 2023 से प्रभावी है।

Shri POOVARASAN N.

son of NALLAVANK.

born on 20 JANUARY 1997 having given satisfactory evidence of possessing the prescribed qualifications and experience is hereby granted SECOND CLASS MANAGER'S CERTIFICATE OF COMPETENCY to manage the metalliferous mines having opencast workings only. This certificate is effective from.

01.02.2023

सचिव

खनन परीक्षा बोर्ड

Secretary

Board of Mining

Examinations

سيسوس

अध्यक्ष

खनन परीक्षा बोर्ड

Chairman

Board of Mining

Signed and Sealed
Date 23.05.2023

Cert No. MR /HO/111

भारत सरकार/Government of India खान अधिनियम, 1952/Mines Act, 1952 खनन परीक्षा बोर्ड/Board of Mining Examinations खनन मेट सक्षमता प्रमाण-पत्र MINING MATE'S CERTIFICATE OF COMPETENCY (केवल ओपेनकास्ट खानों तक सीमित) (Restricted to mines having opencast workings only)

(धात्विकीय खान विनियम, 1961 के अन्तर्गत)

Under the Metalliserous Mines Regulations, 1961



श्री मुहम्मद रमीस ओ सुपुत्र अबदुसमद ओ है, को अपनी जन्म तिथि 26.09.1995 है, को अपनी आयु, स्वस्थता, सदाचार, साक्षरता और धात्विकीय खानों में काम करने के विहित अनुभव का सन्तोषजनक प्रमाण प्रस्तुत करने एवं दिनांक 14.12.2022 को एस जेड बेंग्लुरू केन्द्र पर आयोजित विहित परीक्षा में उत्तीर्ण होने पर एतद्द्वारा केवल ओपेनकास्ट खानों तक सीमित मेट सक्षमता प्रमाण-पत्र प्रदान किया जाता है। यह प्रमाण पत्र 11-जनवरी-2023 से प्रभावी है।

Shri MAHAMMED RAMEES O son of ABDUSSAMAD O
born on 26 SEPTEMBER 1995 having given satisfactory evidence of his age,
medical fitness, good character, literacy and prescribed experience of working in metalliferous
mines and having passed the prescribed examination held at SZ, BENGALURU
centre on 14.12.2022 is herby granted MINING MATE'S CERTIFICATE OF

COMPETENCY restricted to mines having opencast workings only. So

The certificate is effective from 11-JANUARY-2023

बाएं हाथ के अंगूठे का निशान Left hand thumb impression

अंचल सचिव खनन परोक्षा बोर्ड Zonal Secretary Board of Mining Examinations

Signed and Sealed
Date 01.02.2024

SHEWAY THE


Secretary

Soard of Mining Examination


प्रतिकार के प्रतिकार कि प्रति

Board of Mining
Examinations

hadra for i







9001:2015

തവിഞ്ഞാൽ ഗ്രാമപഞ്ചായത്ത്

തലപ്പുഴ പോസ്റ്റ്, വയനാട്, 670644

ഫോൺ : 04935 256236 ഇ മെയിൽ : thavinhalgpo@gmail.com

വൃവസായം, വാണിജൃം, സംരംഭകത്വം, മറ്റുസേവനങ്ങൾക്കുള്ള

ലൈസൻസ്

(1994 ലെ കേരളാ പഞ്ചായത്ത് രാജ് നിയമം സെക്ഷൻ 232, 1996 ലെ FACTEOS ചട്ടങ്ങൾ)

നമ്പർ: 349 / 2021 - 2022	തിയ്യതി : September 29, 2021
ലൈസൻസിയുടെ പേര്	ഉലഹന്നാന്. ഇ ജെ
ലൈസൻസിയുടെ മേൽ വിലാസം	ഇടപ്പുതുശ്ശേരി
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	ക്വാറി, വാളാട്
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	കരിങ്കല്ല് ഉല്പാദനം, വിപണനം
വാർഡ് നമ്പർ / കെട്ടിട നമ്പർ	XVIII/ വാളാട് വില്ലേജ് റീ.സ- 57/16,1069,1270&1273 ൽ പെട്ട 4.6702 ഹെക്ടർ ഭൂമി
ലൈസൻസ് കാലാവധി	29/09/2021 മുതൽ 31/03/2026 (വ്യവസ്ഥകൾ ബാധകം)
	തുക രസീത് നമ്പർ / തിയ്യതി
ലൈസൻസ് ഫീസ്	25000.00 1210100262 dtd 29/09/2021
മെഷീനുകൾ സ്ഥാപിക്കുന്നതിനുള്ള ഫീസ്	
മെഷീനുകൾ പ്രവർത്തിപ്പിക്കുന്നതിനുള്ള ഫീസ്	
തൊഴിൽ നികുതി	1250.00 1210100262 dtd 29/09/2021
	1.മലിനീകരണ നിയന്ത്രണ ബോർഡ് സർട്ടിഫിക്കറ്റ്- (Valid upto 30.12.2024) 2. വില്ലേജ് ഓഫീസർ സാക്ഷ്യപ്പെടുത്തിയ ലൊക്കേഷൻ സ്കെച്ച്, കൈവശാവകാശ സർട്ടിഫിക്കറ്റ്
ലൈസൻസ് അനുവദിക്കുന്നതിന് ബന്ധപ്പെട്ട വകുപ്പിൽ നിന്നും ഹാജരാക്കിയ നിരാക്ഷേപ സാക്ഷ്യപത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തിയ്യതി, കാലയളവ്, നൽകിയ അധികാര സ്ഥാപനം)	3. ചീഫ് കണ്ട്രോളർ ഓഫ് എക്സ്പ്ളോസീവ്സ് ൻറെ 2 അനുമതി(Validity -31/03/2026) 4. മൈനിംങ് ആൻ്റ് ജിയോളജി വകുപ്പിന്റെ അനുമതി 5.സ്റ്റേറ്റ് എൻവയേൺമെന്റ് ഇമ്പാക്ട് അസസ്മെൻ്റ് അതോറിറ്റിയുടെ അനുമതി (Validity- 31/12/ 2024) മേൽ രേഖകളുടെ കാലാവധി അവസാനിക്കുന്ന പക്ഷം ആയത് പുതുക്കി സമർപ്പിക്കേണ്ടതും അല്ലാത്ത പക്ഷം ടിലൈസൻസിൻ്റെ സാധുത നഷ്ടപ്പെടുന്നതുമാണ്. ഹാജരാക്കിയ സാക്ഷ്യപത്രങ്ങ ൾ/അനുമതികൾക്ക് പുറമെ മറ്റേതെങ്കിലും വകുപ്പന്റെ സാക്ഷ്യപത്രങ്ങ ൾ/അനുമതികൾ ആവശ്യമുണ്ടെങ്കിൽ ആയത് സ്വന്തം ഉത്തരവാദിത്വത്തിൽ സമ്പാതിച്ച് സൂക്ഷിക്കെണ്ടതും പരിശോദനയ്ക്ക് ഹാജരാക്കേണ്ടതുമാണ്.

ലൈസൻസി താഴെ പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു


- 1 കേരളാ പഞ്ചായത്ത് രാജ് ആക്ടും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും ബൈലോകളും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
- 2 തൊഴിൽസ്ഥലവും പരിസരങ്ങളും വെടിപ്പായും വൃത്തിയായും സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാകാത്ത വിധത്തിലും പൊതുജനോപദ്രവമാകാത്ത വിധത്തിലും വ്യാപാരത്തിനു വച്ചിട്ടുള്ള ഭക്ഷണ പദാർത്ഥങ്ങൾ ഈച്ച, അണുക്കൾ, പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാകാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.
- 3 തൊഴിൽസ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്തധികാരികൾക്കോ/സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസുടമസ്ഥൻ വേണ്ട സൗകര്യം നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാകുന്നു.
- 4 പഞ്ചായത്തിൽ നിന്നും അനുവാദം സിദ്ധിച്ചശേഷമല്ലാതെ തൊഴിൽ സ്ഥലം മാറ്റാവുന്നതല്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.
- 5 ഏതൊരു പ്രവർത്തി ദിവസത്തിന്റെയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.
- 6 ആ സ്ഥലത്തിന്റെയോ പുരയിടത്തിന്റെയോ, ഏതെങ്കിലും ഭാഗത്ത് വീഴുകയോ നിക്ഷേപിക്കപ്പെടുകയോ ചെയ്യുന്ന ചപ്പുചവറോ, മൃഗങ്ങളുടെ തുണ്ടുകളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച് സെക്രട്ടറിക്ക് തൃപ്തികരമായ രീതിയിൽ നീക്കം ചെയ്യിക്കേണ്ടതാണ്.
- 7 ലൈസൻസുകാരൻ ഏതൊരു കെട്ടിടത്തിന്റെയും ചുമരുകളുടെ അകവശത്തിന്റെ ഏതൊരു ഭാഗവും മേൽപറഞ്ഞ പുരയിടത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ചുവീഴാനിടയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ ചപ്പുചവറോ, അസഹ്യമോ, ഉപദ്രവകരമായ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തടയത്തക്കവിധം എപ്പോഴും നന്നായും കേടുപാട് തീർത്തും വയ്പിക്കേണ്ടതാണ്.
- 8 ലൈസൻസുകാരൻ മേൽപറഞ്ഞ പുരയിടത്തിലോ, അതോടു ചേർന്നോ ഉള്ള ഏതൊരു ഓവുചാലും, അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായും കേടുപാടുകൾ തീർത്തും വയ്പിക്കേണ്ടതാണ്.
- g ഏതെങ്കിലും തരത്തിലുള്ള താക്ക് രോഗമോ കുഷ്ഠരോഗമോ വ്രണമോ ഉള്ള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന യാതൊരു പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
- 10 ഏത് സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നുവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്കവിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസുകാരൻ തന്റെ പേരും, ലൈസൻസിന്റെ നമ്പരും ഉദ്ദേശവും കാണിക്കുന്ന അടയാളപ്പലക വച്ചിരിക്കേണ്ടതാണ്.
- 11 അയിത്തം ആചരിക്കുന്ന കടകളുടെ ലൈസൻസ് റദ്ദുചെയ്യുന്നതാണ്.
- 12 നിരോധിത പ്ലാസ്റ്റിക്ക് ഇനങ്ങൾ ഉൽപ്പാദിപ്പിക്കുകയോ, ശേഖരിക്കുകയോ, വിൽക്കുകയോ, കൈകാര്യം ചെയ്യുകയോ ചെയ്യാൻ പാടില്ല
- 13 സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും, ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.
- 14 21 സീറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും, റസ്റ്റെൽുകൾക്കും ടോയ്ലറ്റ് സൗകര്യം ഏർപ്പെടുത്തേണ്ടതാണ്.
- 15 നിരോധിത ഉൽപ്പന്നങ്ങളായ പാൻമസാല, ഗുഡ്ക തുടങ്ങിയവ സംഭരിച്ച് വെയ്ക്കുവാനോ വിൽക്കുവാനോ പാടില്ല.
- 16 ബാലവേല അനുവദിക്കാൻ പാടില്ല.
- 17 ലൈസൻസ് അവസാനിക്കുന്ന തിയ്യതിക്ക് 30 ദിവസം മുമ്പ് ലൈസൻസ് പുതുക്കുന്നതിനുള്ള അപേക്ഷ സമർപ്പിക്കേണ്ടതാണ്.
- 18 മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളിൽ ഏതെങ്കിലും ലംഘിക്കുന്ന പക്ഷം ഈ ലൈസൻസ് റദ്ദ് ചെയ്യുന്നതാണ്.
- 19 ഈ ലൈസൻസിന്റെ പ്രാബല്യം ആരോഗ്യ വകുപ്പിന്റെ പരിശോധനയ്ക്കും, റിപ്പോർട്ടിനും വിധേയമായിരിക്കും

A COMPANY OF

സെകട്ടറി

തവിഞ്ഞാൽ ഗ്രാമപഞ്ചായത്ത്

PALAMANIA COAMA DANICUANA



തവിഞ്ഞാൽ ഗ്രാമപഞ്ചായത്ത് കാര്വാലയം

എൽസി ജോയി

പ്രസിഡണ്ട് പി.ഒ. തലപ്പുഴ വയനാട്, പിൻ : 670 644

ഫോൺ : 04935 256 236 E-mail : thavinhalgpo@gmail.com



പുളിക്കയത്ത് (വീട്) ഇടിക്കര വിമലനഗർ പി.ഒ തവിഞ്ഞാൽ 670 644 Ph :9496048312 9526132055

നമ്പർ : .വൈ.പി.ഡി/ 06/23

m07/2023.....

പ്രൊപ്രയിറ്റർ **ബീസ് മെറ്റൽസ്**&സാന്റ് വാളാട്

മാനൃരേ,

വിഷയം :- തവിഞ്ഞാൽ ഗ്രാമ പഞ്ചായത്തിൽ ദുരിതാശാസ പ്രവർത്തികളുടെ ഭാഗമായി ടാർപോളിൻ ഷീറ്റ് വാങ്ങി നൽകൽ - സി.എസ്.ആർ ഫണ്ട് അനുവദിക്കുന്നത് സംബന്ധിച്ച് .

തവിഞ്ഞാൽ ഗ്രാമ പഞ്ചായത്തിലെ എസ്.സി/എസ്.ടി കുടുംബങ്ങൾക്ക് മഴക്കാല ദുരിതാശ്വാസ പ്രവർത്തികളുടെ ഭാഗമായി ടാർപോളിൻ ഷീറ്റ് വാങ്ങി നൽകൽകന്നതിന് അങ്ങയുടെ സ്ഥാപനത്തിൽ നിന്നും സി.എസ്.ആർ ഫണ്ട് അനുവദിക്കുന്നതിനും തവിഞ്ഞാൽ ഗ്രാമ പഞ്ചായത്തിലെ ദുരിതാശ്വാസ പ്രവർത്തികളുടെ ഭാഗമാകന്നതിനും താൽപര്യപ്പെടുന്നു.



വിശ്വസ്തതയോടെ,



GOVERNMENT HIGHER SECONDARY SCHOOL THALAPPUZHA

THALAPPUZHA P.O

THALAPPUZHA VIA, 670644


E-Mail -ID -hmghssthalappuzha@gmail.com Ph:04936256269

81.492.40พ.40พ. พฤษปล

പ്രാസ് പ്രാസ്ത്രായി പ്രത്യായ പ്രത്യായ പ്രാസ്ത്ര പ്രാസ്ത

Cash received,
Binux.K.J

Headmaster/ G.H.S.S. Thalappuzha Thalappuzha (P.O.), 670844



ബിന്ദു പ്രതേരട്ട് കടൺസിലർ - ഡിവിഷൻ -30 ബിനാച്ചി താൽതാൻബത്തേരി നഗരസഭ വയനാട് ജില്ല, പിൻ - 673 592 ഫോൺ: 04936-220240



തെക്കേപനങ്ങാട് ഹൗസ്, ബീനാച്ചി പി.ഒ., സൂൽത്താൻ ബരത്തേരി Mob: 9961695580 bindupramod99@gmail.com


றிறன் 26 10 2022

musel sono mystems alemant ale

മി ഭലയ്ക്കു ചിക്കിന്നാ പനായിന്നിന്നു വി ഭലയ്ക്കു ചിക്കിസാ ധനായിന്നിന്നു വാഗതര നൽകിയി ദുന്നതാണ്

AR. അനീഷ് ചികിത്സാ സഹായം ചാലിയിൽ വിട്, പൂതിക്കാട്, പൂലല, ഫോൺ: 9744309503 സംഭാവന രസിത് 1007/1007am7 (072) സംഭാവനയായി നന്ദിപൂർവ്വം കൈപ്പറ്റിയിരിക്കുന്നു. ₹ 2500 Bank A/c. No. 507702010022724 Union Bank വിജയകുമാമി (ഒപ്പ്) 📆 🗘 IFSC : UBIN 0550779

Scanned with CamScanner





തൊണ്ടർനാട് ഗ്രാമപഞ്ചായത്ത് ഓഫീസ്

തൊണ്ടർനാട് (പി.ഒ), വയനാട് ജില്ല

Off. PH:04935 235-235

E-Mail-thondernadugp@gmail.com

സിനി തോമസ് 6-ാം വാർഡ് മെമ്പർ പുതുശ്ശേരി മാണിശ്ശേരിൽ ഹൗസ് പുതുശ്ശേരി പി.ഒ ഫോൺ – 9847421395


อกตาลหาวรั (ยาขามของสาขาร 6-20 การหณ้ ๆ การสาขาง การอออง การ การอาร์ ธาวณา อาศุกร ธาวมา คายาง การคารสาขาง คายาง 49000 การคายาง Quarry Muck Material 2018 ใธการเปราชาม เออกโมโลธการ.

2/128121) 28/11/2023 2000

28/11/2023

സിനി തോമസ് 6-ാം വാർഡ് മെമ്പർ മൊണ്ടർനാട് ഗ്രാമപഞ്ചായത്ത് ഫോൺ: 9847421395


Bank A/c. No. 507702010022724 Union Bank IFSC : UBIN 0550779
7 1500 വിജയകുമാരി (ഒപ്പ്)
സംഭാവനയായി നന്ദിപൂർവ്വം കൈപ്പറ്റിയിരിക്കുന്നു.
ക്കൽ
wollword Breeze Metals & Sands
No 1 4 1 നാങ്ങന്ന രസിത് തീയതി . റ്റ് 1 4/24
അനിഷ് ചികിത്സാ സഹാത്യം ചാലിയിൽ വീട്, പൂതിക്കാട്, പൂലെ, ഫോൺ: 9744309503



Scanned with CamScanner

സംഭാവനയായി കൈപ്പറ്റിയിരിക്കുന്നു. about the support കേരള ഫോറസ്റ്റ് പ്രൊട്ടക്കീവ് സ്റ്റാഫ് അസോസിയേഷൻ 48-ാമത് സംസ്ഥാന സഞ്ജേളന ഫണ്ടിലേക്ക് give of alahamnan 2000/ കേരള ഫോറസ്സ് പ്രൊട്ടക്കീവ് സ്ലാഫ് അസോസിയേഷൻ **MCDWo** TUE MEMO രസീത് 2023 **ഡിസംബർ** 28 | 29 നിലമ്പൂർ, മലപ്പുറം KFPSA വയനാട് ജില്ല പ്രസിഡന്റ് / സെക്രട്ടറി olgol 19/14/23 ഞ്ജി. നമ്പർ.264/88

.. മൂപ



	Tax Inv	oice		1 1	(ORIGINAL	FOR RECIPIENT
M/s. P M STORE		Invoice No.	e-Way	Bill No.	1	
(P 14/524-A, 524-B, 2/196A		62	591612			ı
.00dathai Bazar (Po). Thamarassery Kozhikode 673	573 (Pin)	Delivery No				s of Payment
10 NO.E/HQ/KL/21/92(E64826) E/HQ/KL/21/93/	F64830)	Donitory Ito				o or r dymon
55 TIN/UIN: 32AAWFP0867G2ZW	201000)	Reference I	lo & Data	-	Other Refe	roncoo
State Name : Kerala, Code : 32		Kelelelice i	to. a Date.		Other Keler	elices
Contact: 9946522888,9846890896		5 1 . 5 . 1				
-Mail : pmstorebr@gmail.com		Buyer's Ord	er No.		Dated :	140
Consignee (Ship to)					The State of the S	
JLAHANNAN	1	Dispatch Do	c No.		Delivery No	te Date
daputhusseriyl (H), Thalapuzha, Valat (PO), Wa	ayanad.				Ç#.	
E/SE/KL/22/329(E129465) Mag @ Nalloornad		Dispatched	through		Destination	
State Name : Kerala, Code : 32						9
Buyer (Bill to)		Terms of De	livery			
ULAHANNAN Edaputhusseriyi (H), Thalapuzha, Valat (PO), Wa E/SE/KL/22/329(E129465) Mag @ Nalloomad State Name : Kerala, Code : 32 Place of Supply : Kerala	ayanad.					
Description of Goods	HSN/SAC	Quantity	Rate	per	Discount	Amount
			+	+-	Amount	
Cdet Omega-H Dualdet 25×250 MS (350)	360300	700 NOS	38.1	4 NOS		26,698.00
or ma						
			- 0			
CGST@9%						0 400 04
SGST@9%	i	1				2,402.82
ROUND OFF						2,402.82 0.36
mound of ,						0.36
		1				
a a					1	
			2 5			
8	. •					
					× ,	
		5				
	20		80			
Ma ti	82			1	1.	
	200 30 G	2	8 8 1 9 <u>5.</u>			
		180				
*			1			
			1			
3						
	8 9					
	2					
						- we
			0.5			
Total		700 NOS	1			₹ 31,504.00
mount Chargeable (in words)						E. & O.E
IR Thirty One Thousand Five Hundred Four	Only					2. 0.2
HSN/SAC	Taxable	Cont	al Tax		State Tay	Total
TION CAO	Value	Rate	Amount	Rate	State Tax Amount	Total Tax Amount
60300	26,698.00		2,402.82	9%		
Total	26,698.00		2,402.82		2,402.	4,805.64
IOIAI						
	t Hundrad 5	ive and Ci-	the Easter		also A	Walle W
ax Amount (in words) : INR Four Thousand Eigh	t Hundred F	ive and Si	kty Four pa	ise O		ON STOP
ax Amount (in words): INR Four Thousand Eigh eclaration fe declare that this invoice shows the actual price of t	he	ive and Si	kty Four pa	ise O		M/s. P M STORE
ax Amount (in words): INR Four Thousand Eigh	he	ive and Si	kty Four pa	ise O		- I + II

Scanned with CamScanner


M STORE			Invesion No				
			Invoice No.			Dated	
BR,KP XI/883-A&B, Koodath Thamarassery . Kozhikode 6	ayi Bazar (Po) 73573 (Pin)		1100				of Payment
Thamarassery , Kozhikode 673573 (Pin) LIC No:E/HQ/KI/21/92(E64826) LIC/HQ/KU/21/93(64830) .H.O:Kannamvettikavu			Delivery Note		1	WIOUG/ FEITIS	or aymont
E/HQ/KL/21/93(64830) .H.O: Malappuram GSTIN/UIN: 32ADBPH5685/ State Name : Kerala, Code :	A1Z1	-	Reference No	. & Date.	1	Other Referen	nces
Contact : 9946522888,98468 E-Mail : pmstoree@gmail.co	390896		Buyer's Order	No.		Dated	9, 7
Consignee (Ship to)		-	Dispatch Doc	No.		Delivery Note	Date
JLAHANNAN Edaputhusseriyl (H), Thalapı	uzha, Valat (PO), Wa					,	
E/SE/KL/22/329(E129465) N State Name : Kerala,	lag @ Nalloornad Code : 32		Dispatched th	rough		Destination	
Buyer (Bill to)			Terms of Deli	very			
	uzha, Valat (PO), Wa flag @ Nalloornad Code : 32	yanad,					8 2
Place of Supply : Kerala		1 - 8 - 1					21
SI Description of	Goods	HSN/SAC	Quantity	Rate	per	Discount Amount	Amount
Cdet Omega-H Dualdet 04 Mtr	25×250 MS (350)	360300	700 NOS	38.14	NOS		26,698.00
	CGST@9% SGST@9% ROUND OFF						2,402.82 2,402.82 0.36
		9 10					
and the second					3		
						1776	
					1 5		
					1. 1		
					446		
							. 14.
2 2					1		
					1		
					1.53		
		100			1.0		
2							
+	Total		700 NOS				7 24 504 00
Amount Chargeable (in words)	Total		700 1103				₹ 31,504.00 E. & O.E
NR Thirty One Thousand I	Five Hundred Four	Only					L. 4 J.E
HSN/SAC		Taxable	Centr	al Tax	-	State Tax	Total
		Value	Rate	Amount	Rate	Amoun	t Tax Amount
60300	Total	26,698.0 26,698.0		2,402.82 2,402.82	9	% 2,402	
						2,402	
ax Amount (in words): INR F declaration Ve declare that this invoice sho oods described and that all pa	ows the actual price of	the	Five and Si	xty Four pa	ise (Only Au	Ton PM STOR

	Tax Inv	oice			,	FOR RECIFICION			
STODE		Invoice No.	-		Dated				
PM STORE BR.KP XI/883-A&B. Koodathayi Bazar (Po)		1072			23-Jan-24				
R,KP XI/883-A&B, Koodathayi Bazar (Po) amarassery , Kozhikode 673573 (Pin) C No:E/HQ/KL/21/92(E64826),	Delivery Note			Mode/Terms of Payment					
HQ/KL/21/93(64830) .H.O:Kannamvettikavu alappuram STIN/UIN: 32ADBPH5685A1Z1 ate Name : Kerala, Code : 32		Reference No	o. & Date.		Other Refere	ences			
ontact : 9946522888,9846890896 Mail : pmstoree@gmail.com		Buyer's Order	No.		Dated				
onsignee (Ship to) LAHANNAN		Dispatch Doc	No.		Delivery Not	e Date			
daputhusseriyl (H), Thalapuzha, Valat (PO), Wa /SE/KL/22/329(E129465) Mag @ Nalloornad	ayanad,	Dispatched th	rough		Destination	.)			
tate Name : Kerala, Code : 32 uyer (Bill to)		Terms of Deliv	very						
LAHANNAN daputhusseriyi (H), Thalapuzha, Valat (PO), Wa //SE/KL/22/329(E129465) Mag @ Nalloornad tate Name : Kerala, Code : 32 lace of Supply : Kerala	ayanad,								
Description of Goods	HSN/SAC	Quantity	Rate	per	Discount Amount	Amount			
Cdet Omega-H Dualdet 25×250 MS (400) 03 Mtr	360300	800 NOS	28.82	NOS		23,056.00			
33 INC					. 8	, i			
CGST@9% SGST@9%						2,075.04 2,075.04			
Less: ROUND OFF						(-)0.08			
				22					
			2 10		1				
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					а				
		B 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		8	a a				
	v								
	8 8	2		: B					
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 1					
		And the second							
		2 2 2 4		3					
	100 × 5 + 10								
			* * *						
Total	1 2	800 NOS	193			7 27 200 00			
Amount Chargeable (in words) NR Twenty Seven Thousand Two Hundred S	ly Only	1				₹ 27,206.00 E. & O.E			
octon incusana iwo munarea S		Contr	ral Tax		State Tax	Total			
HSN/SAC	Taxable				CIBIR 18Y	Total			
HSN/SAC	Value	Rate	Amount	Rate					
HSN/SAC 360300 Total	Value 23,056.	Rate		Rate	Amour	t Tax Amount 5.04 4.150.08			

Amount Chargeable (in words) Total	code described	and that all particulars a	are true and	correct.				Ā	horsed Signatory
Check-Hol/KL21/32(E4629) Checked Code Checked Code Checked Code Checked Code Checked Code Checked Code Checked Check	eclaration		ctual price of	the	A) (i)				for PM Store
Islappuram (S.S.), H.O.Kannamvettikavu (STINUMI), 32ADPH-IsosaA121 (S.C.) (S.C.	Amount (in w	ords) : INR Four The					nly		
Reference No. & Date Dither References	0300		Total			2,075.04	9		5.04 4,150.08 5.04 4,150.08
selappuram STINUMIN 322DBPH6968A121 atten Name : Kerala, Code : 32 atten Name : Kerala, Code : 32 atten Name : Kerala, Code : 32 ALAHANNAN alaputhusseriyi (H), Thalapuzha, Valat (PO), Wayanad, state Name : Kerala, Code : 32 LAHANNAN alaputhusseriyi (H), Thalapuzha, Valat (PO), Wayanad, state Name : Kerala, Code : 32 LAHANNAN alaputhusseriyi (H), Thalapuzha, Valat (PO), Wayanad, state Name : Kerala, Code : 32 ace of Supply : Kerala Description of Goods CGST@99% SGST@99% Less : ROUND OFF Total Total 800 NOS Total 800 NOS Total 800 NOS Total 7 27,206.00 F 27,206.00		HOINOAU		Value	Rate	Amount		Amour	nt Tax Amount
siappuran STINUIN 3-20DBH-96895A121 state Name : Kerala, Code : 32 SIANANA daputhusseriyi (H), Thalapuzha, Valat (PO), Wayanad, KErkur20/329(E-129465) Mag @ Nalloomad tate Name : Kerala, Code : 32 Uper (Bill to) LAHANNAN daputhusseriyi (H), Thalapuzha, Valat (PO), Wayanad, KSE/KUr20/329(E-129465) Mag @ Nalloomad tate Name : Kerala, Code : 32 Isace of Supply : Kerala Description of Goods HSN/SAC Quantity Rate per Discount Amount Cdet Omega-H Dualdet 25×250 MS 03 Mtr CGST@9% AGSTS@9% ROUND OFF Total Buyer's Order No. Dated Dispatch Doc No. Delivery Note Date Dispatched through Destination Terms of Delivery Terms of Delivery 4 Terms of Delivery Amount Amount Amount Amount Cdet Omega-H Dualdet 25×250 MS 03 Mtr CGST@9% AGSTS@9% ROUND OFF Total Boo NOS Total Boo NOS Total Total Boo NOS Total T	IR Twenty Se		nulluled 5	Tavable	Cent	ral Tax	<u></u>	State Tax	Total
Reference No. & Date. Other References	nount Chargeal	ole (in words)	Hundred 6	iv Only					E. & O.E
Reference No. & Date. Other References			Total	L	800 NOS			N. C.	
Reference No. & Date. Reference No. & Date. Other References Reference No. & Date. Dated Dated Description of Goods Reference No. & Date. Dated Description of Goods Reference No. & Date. Other References Reference No. & Date. Dated Dated Description No. Delivery Note Date Dispatch Doc No. Destination Destination Terms of Delivery Terms of Delivery Description of Goods Reference No. & Date. Dated Description No. Description Description of Goods Reference No. & Date. Dated Description No. Delivery Note Date Dispatched through Destination Terms of Delivery Terms of Delivery Rate Per Discount Amount Amount Cdet Omega-H Dualdet 25×250 MS 03 Mtr SGST@9% SGST@9% SGST@9% SGST@9% SGST@9% Reference No. & Date. Other References	20 a 2 80	F		- 1			9	* *	
Impurism				, 4	100				
Impurary				E 9				2.5	
Reference No. & Date. Reference No. & Date. Other References Other References Other References Reference No. & Date. Other References Dated Dated Dated Dated Description of Goods Description of Goods Description of Goods Description of Goods CGST@9% SGST@9% Reference No. & Date. Other References Other References Other References Other References Other References Dated Dated Dated Dated Dated Dated Description of Goods Descriptio				1		10.0	51.0		
Impuram Impu									
Impourant Impo						1 -			No. of the second
Impuram Impu		9		4					* * *
Reference No. & Date. Reference No. & Date. Other References Other References Other References Reference No. & Date. Other References Other References Dated Dated Buyer's Order No. Dated Dispatch Doc No. Delivery Note Date Dispatched through Destination Terms of Delivery Description of Goods HSN/SAC Cuantity Reference No. & Date. Other References Other References Other References Other References Dated Dated Dated Dispatch Doc No. Delivery Note Date Dispatched through Destination Terms of Delivery Description of Goods HSN/SAC Quantity Rate Per Discount Amount Amount Cdet Omega-H Dualdet 25×250 MS 03 Mtr CGST@9% SGST@9% SGST@9% SGST@9% SGST@9% SGST@9% SGST@9% SGST@9% SGUNNO OFF							×	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	<i>\$</i>
Impourant Impo						100	od.	1 1 2	
Impourant Impo									
Impuram Impu				*			10	377	8
Impurary				1.0			2		
Impuram Impu				86		br *			
Impuram Impu				En ana					
Reference No. & Date. Reference No. & Date. Other References Other References Reference No. & Date. Other References Dated Dated Buyer's Order No. Dated Dated Dispatch Doc No. Delivery Note Date Dispatched through Destination Terms of Delivery Description of Goods HSN/SAC Cuantity Reference No. & Date. Other References Other References Dated Dated Dated Dated Dated Dated Destination Terms of Delivery Destination Terms of Delivery Destination Terms of Delivery Description of Goods HSN/SAC Cuantity Rate Description of Goods HSN/SAC Cuantity Rate Description of Goods CGST@9% SGST@9% SGST@9% SGST@9% SGST@9%				. 5			5	107	
Reference No. & Date. Reference No. & Date. Other References Other References Reference No. & Date. Other References Dated Dated Buyer's Order No. Dated Dated Dispatch Doc No. Delivery Note Date Dispatched through Destination Terms of Delivery Description of Goods HSN/SAC Cuantity Reference No. & Date. Other References Other References Dated Dated Dated Dated Dated Dated Destination Terms of Delivery Destination Terms of Delivery Destination Terms of Delivery Description of Goods HSN/SAC Cuantity Rate Description of Goods HSN/SAC Cuantity Rate Description of Goods CGST@9% SGST@9% SGST@9% SGST@9% SGST@9%					100		12		
Reference No. & Date. Other References									
Reference No. & Date. Other References				a little soft			10		
appurans (Grass) I.H.O:Kannamvettikavu Tink/Uln: 32ADBPH5685A121				1					
appurans (Grass) I.H.O:Kannamvettikavu Tink/Uln: 32ADBPH5685A121				100					
Reference No. & Date. Reference No. & Date. Other References Reference No. & Date. Other References Dated Dated Dispatch Doc No. Delivery Note Date Dispatched through Destination Terms of Delivery Description of Goods HSN/SAC Quantity Rate Per Discount Amount Amount Cdet Omega-H Dualdet 25×250 MS 03 Mtr CGST@9% SGST@9% ACCOUNTIER TO STORM TO SERVE T		R	OND OFF	100		n 1		8	
Reference No. & Date. Reference No. & Date. Other References Reference No. & Date. Other References Other References Dated Dated Dispatch Doc No. Delivery Note Date Dispatched through Destination Terms of Delivery Description of Goods HSN/SAC Quantity Reference No. & Date. Other References Other References Other References Dated Dated Dated Dispatch Doc No. Delivery Note Date Dispatched through Destination Terms of Delivery Terms of Delivery AHANNAN Aputhusseriyl (H), Thalapuzha, Valat (PO), Wayanad, E/KL/22/329(E129465) Mag @ Nalloornad te Name	Less:		SGST@9%		1.0				
appurars				0. 20		1 1 1			2 075 04
Impourant of State Impoura								x x x	
Image: Application Image:	oder Omeg	a-m Dualdet 25×250	MS 03 Mtr	360300	800 NOS	28.82	NOS		23,056.00
Isppuram Isp	Cdet Omea	N II Dueldet on and			100				
Reference No. & Date. Other References		Description of Goods		HSN/SAC	Quantity	Rate	per	Discount	Amount
Isppuram Stands St. Kannamvettikavu Isppuram Stands St		8		50					
AHANNAN Alaputhusseriyl (H), Thalapuzha, Valat (PO), Wayanad, ale Name : Kerala, Code : 32 AHANNAN Alaputhusseriyl (H), Thalapuzha, Valat (PO), Wayanad, ale Name : Kerala, Code : 32 AHANNAN BEKKL/22/329(E129465) Mag @ Nalloornad Terms of Delivery		: Kerala	4						*
Reference No. & Date. Other References	0011022/329	(⊏≀≥9405)Mag@Na	alloornad						
Isappuram State Name : Kerala, Code : 32 AHANNAN Reference No. & Date. Other References Reference No. & Date. Other References Other References Buyer's Order No. Dated Dispatch Doc No. Delivery Note Date Dispatched through Destination Destination Destination Destination	laputhusserivi	(H), Thalapuzha, Val	at (PO), Wa	yanad.		70			
AHADNAN AHADNAN AHADNAN APACH (PO), Wayanad, SE/KL/22/329(E129465) Mag @ Nalloornad ate Name : Kerala, Code : 32 AHADNAN Buyer's Order No. Buyer's Order No. Dispatch Doc No. Dispatch Doc No. Dispatch dit brough Dispatch dit brough Dispatch of through	AHANNAN				Terms of Deli	very			
Impurary	ale Name	: Kerala, Code : 3	2		Disparched th	rougn		Destination	
Impuram TIN/UIN: 32ADBPH5685A1Z1 te Name: Kerala, Code: 32 tact: 994652288,984689089e Alaii: pmstoree@gmail.com Buyer's Order No. Buyer's Order No. Dated AHANNAN	- NL 22/329	(CIZ9405) Mag @ Na	alloornad	yanad,	Dienetchad				
Isippuram TIN/UIN: 32ADBPH5685A1Z1 te Name: Kerala, Code: 32 tlact: 9946522888,9846890898 Asii: pmstoree@gmail.com Buyer's Order No. Buyer's Order No. Dated	AHANNAN aputhusserivi	(H) Thalanusha Val	at /DC\ \	.	Dispatch Doc	No.		Delivery Not	e Date
lappuram Telepuram Telepur	nsignee (Ship	to)			Duyer's Order	NO.		Dated .	
lappuram TIN/UIN: 32ADBPH5685A121 te Name: Kerala Code: 32 Reference No. & Date. Other References	ntact : 99465 Mail : pmstore	22888,9846890896 e@gmail.com			Business Ord	N-			
	TIN/UIN: 32A	DBPH5685A171			Reference No	. & Date.		Other Refere	ences
No:E/HO/KI /04/00/E0 4000			vettikavu	H	Delivery Note			Mode/Terms	of Payment
amarassery , Kozhikode 673573 (Pin) 998 1-Jan-24	No:E/HO/K	(24/02/E848735/3 (P	'in)	11.0		0			
STORE Invoice No. Dated	KP XI/883-A	&B. Koodathayi Bazas	(D-)		Invoice No.	8.		Dated	


RR	STORE KP XI/883-A&B Kooden	Tax Inv	Invoic	e No	0111			NAL FO	N NECII	-ICIVI)
Tha	KP XI/883-A&B, Koodathayi Bazar (Po)	, e2 , 19	959	J 110.			Dated	100		
Thamarassery, Kozhikode 673573 (Pin) LIC No:E/HQ/kU/21/92(E64826) E/HQ/kL/21/93(64830) .H.O:Kannamvettikavu Malappuram GSTIN/UIN: 32ADBPH5685A1Z1			D 11				21-Dec-23 Mode/Terms of Payment			
				46						nt
Cor E-N	ntact : 9946522888,9846890896 Mail : pmstoree@gmail.com			ence No. 8		1	Other	Referenc	es	
COI	Consignee (Ship to) ULAHANNAN			's Order N	0.		Dated			
Eda	aputhusariyi (H), Thalapuzha, Valat (PO), Wa SE/KL/22/329(E129465) Mag @ Nalloornad	yanad,	Dispa	itch Doc N	0.		Delive	ry Note [Date	
Sta	ate Name : Kerala, Code : 32	4	Dispa	atched thro	ugh		Destin	ation		
UL Eda E/S Sta	AHANNAN aputhussenyl (H), Thalapuzha, Valat (PO), Wa SE/KL/22/329(E129465) Mag @ Nalloomad ate Name : Kerala, Code : 32 ice of Supply : Kerala	yanad,	Term	s of Delive	ry					
SI No.	Description of Goods	HSN/SAC	Q	uantity	Rate	per	l Di			
	Cdet Omega-H Dualdet 25×250 MS (400)						A	mount	Am	ount
	03 Mtr	360300	8	00 NOS	28.82	NOS	3		2:	3,056.00
	CGST@9% SGST@9% Less: ROUND OFF									2,075.04 2,075.04 (-)0.08
2.6	Tota	d ·	+	800 NOS					₹ 27	,206.0
	ount Chargeable (in words) R Twenty Seven Thousand Two Hundred S	Six Only				1				E. & O.
INI	HSN/SAC	Taxab			al Tax			te Tax		Total
360	0300	23,05	6.00	Rate 9%	Amount 2,075.04	1.0	ate 9%	Amou 2,07	5.04	4,150.0
	Tota x Amount (in words) : INR Four Thousand On				2,075.04			2,07	5.04	4,150.0 STOP

1	S. P M STORE	I ax II	voice	101-	y Bill No.	Dated	
/I-	14/52/1 / 50/ -		Invoice No.	e-vva	y Dill 140.	00 Mar 24	
0	odathai Bazar (Po), Thamarasa		224		8303800	Mode/Term	s of Payment
Koodathai Bazar (Po), Thamarassery , Kozhikode 673573 (Pin) LIC No:E/HQ/KL/21/92(E64826) ,E/HQ/KL/21/93(E64830) GSTIN/UIN: 32AAWFP0867G2ZW			Delivery No	te			
Co	ontact : 9946523888 code : 32		Reference	No. & Date.		Other Refer	A11042
Co	onsignee (Ship to)		Buyer's Ord			Dated	- Dota
UL Ed	AHANNAN	levened	Dispatch Do			Delivery Not	8 D8(8
St	ate Name : Kerala, Code : 32	ayanau,	Dispatched	_		Destination	
	yer (Bill to)		Terms of De	livery			
Ed E/S	_AHANNAN daputhusseriyi (H), Thalapuzha, Valat (PO), W. SE/KL/22/329(E129465) Mag @ Nalloornad ate Name : Kerala, Code : 32	ayanad,					
Pla SI	ace of Supply : Kerala Description of Goods	11011010	Our-Air	Dot-	000	Discount	Amount
No.		HSN/SAC	Quantity	Rate	per	Amount	
	Cdet Omega-H Dualdet 25×250 MS (350) 04 Mtr	360300	700 NOS	38.1	14 NOS		26,698.0
	CGST@9%					2	2,402.82
	SGST@9% ROUND OFF					3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	2,402.82 0.36
	programme in			. 1 %			
	* * *						
			8		11		
-	8						
	*						
			4, 1			E.	
	,						
	, , , , , , , , , , , , , , , , , , , ,	.0			, and		
		1					
						A 1911	
			× 5				
						**	
Į	Total		700 NOS	u 8			
	t Chargeable (in words)		100 NOS			₹	31,504.00
rh	nirty One Thousand Five Hundred Four On						E. & O.E
0		Taxable Value	Central Rate Ar		Sta	ate Tax	Total
	Total	26,698.00 26,698.00	9%	2,402.82	Rate 9%	Amount 2,402.82	Tax Amount
na	ount (in words) : INR Four Thousand Fight U	110des -1 =-		2,402.82		2,402.82	4,805.64
ati	ount (in words): INR Four Thousand Eight H	unarea Fiy	e and Sixty	Four pais	se Only	, /	M \$100
ЖĘ	are that this invoice shows the actual price of the escribed and that all particulars are true and corre	ı				forativ	S. P.M. STOR
	corre	CI.				1187	THE STATE OF



മുത്യം എന്നിയ നാലാ എന്തി. ക്യാറി രാജിന്റിൻ വുച്ച നാന്ന EMC
് പ്രാവ ക്കാര്യ പ്രത്യാത്ത് പ്രാവി പ്രവി
ച്ചാറില്ലാ വള്ള പുതിയായി കുട്ടിയുന്നു പ്രാമ്യായി പ്രാപ്പു.
ട്ടാരിക് ഉയ പ്രാണ്ട് ഗരിയും).
ക്കിലുമായി ക്യൂ.
52001000) rb 2005/1000000
Dermon ermo (ours)
a) nonomagni urogo 'k your (manager)
3) egwand. N. James managar)
4) 32020 02/mJ.00 (2001) [moul mode.)

8 E	നേട്ട ത്രിയും എക്കായ ക്യായി കാരിയുന്ന വാട്ട് സായ
<u>-></u>	പ്പുക്കുന്നുള്ള പ്രത്യത്ത് എന്നു പ്രത്യ പ്രത്യം പ്രത്
<u> </u>	Bernat 200 gemen 2000. moral and some compage. "water spangler in 2000. gemen and spangler age more and more of an and an and an
>	のかいめの み. 努めある ある あいが いいかいかり でいるとう からいる あいらいとう とこのできる としまる あいると あいらい かいかい かいかい かいかい かいっちゃく あいらいから かいっちゃく あいらいまる あいらいまる ないしょうしょう こうしょう まいかい よいしょう こうしょう よいらい よいいしょう こうしょう こう こうしょう こう こうしょう こう
	Essert 2000 poord
<u>D</u>	20 en mont 6 mont (owner)
3)	(Paovadasan: n) 2 13210mod. N for the (mines managed)
4)	geneis male (mones made)







TEST REPORT

ULR No: TC1293924000008055F							
LRI No.: SEAAL24040626A	Date: 06-04-2024	Page 1 of 1					

CUSTOMER DETAILS				
	Mr. Ulahannam			
	Edaputhusseriyil Veedu			
Customer Name & Address	Thalappuzha, Valad P.O			
	Wayanad District			
Customer Reference	Test Request date: 28-03-2024			

SAMPLE DETAILS							
Product Category	Atmospheric Pollution	Sample Code	EN24031552				
Sample Name	Ambient Air	Sample Received on	29-03-2024				
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	30-03-2024				
Sampled by	Lab Authorized Sampler	Test Completed on	06-04-2024				

DETAILS OF SAMPLING						
Sampling Location Project Site Date of Sampling 28-03-2024						
Sampling Procedure	SEAAL/CHL/SOP/7.3/02	Humidity	69 %			

SAMPLING SITE DETAILS						
Survey No. 57/16,57/1270,57/1069,57/1273						
Village	Valad	Taluk	Manathavady			
District	Wayanad	State	Kerala			

	TEST RESULTS-CHEMICAL DISCIPLINE							
SL NO	PARAMETERS	TEST METHOD	UNIT	RESULT	NAAQ STANDARD			
1	Particulate matter ,PM ₁₀	IS 5182 (Part 23): 2006	μg/m³	51.7	100 (Max)			
2	Particulate matter ,PM _{2.5}	IS 5182 (Part 24): 2019	μg/m³	23.8	60.0 (Max)			
3	Sulphur dioxide as SO ₂	IS 5182 (Part 2): 2001	μg/m³	5.31	80.0 (Max)			
4	Oxides of Nitrogen as NO ₂	IS 5182 (Part 6): 2006	μg/m³	6.14	80.0 (Max)			

End of Report

Nesny A.K.
Chemist
Checked by

Laiju P.N.
Laboratory Head
Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standards Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 12939 & "A" Grade Laboratory approved by KSPCB.

Standards



TEST REPORT

ULR No: TC1293924000008056F			
LRI No.: SEAAL24040627A	Date: 06-04-2024	Page 1 of 2	

CUSTOMER DETAILS			
	Mr. Ulahannam		
	Edaputhusseriyil Veedu		
Customer Name & Address	Thalappuzha, Valad P.O		
	Wayanad District		
Customer Reference	Test Request date: 28-03-2024		

DETAILS OF MONITORING				
Product Category	Atmospheric Pollution	Sample Code	EN24031553	
Sample Name	Ambient Noise	Monitoring Commenced on	28-03-2024	
Test Method	IS 9989:1981	Monitoring Completed on	29-03-2024	
Monitoring Location	Project Site	Monitored by	Lab Authorized Sampler	

SAMPLING SITE DETAILS				
Survey No. 57/16,57/1270,57/1069,57/1273				
Village	Valad	Taluk	Manathavady	
District	Wayanad	State	Kerala	

	MONITORING RESULTS - Leq						
TIME	RESULTS dB(A)	TIME	RESULTS dB(A)	TIME	RESULTS dB(A)		
06:00	37.9	14:00	50.8	22:00	36.8		
07:00	40.7	15:00	51.2	23:00	35.0		
08:00	45.0	16:00	52.4	24:00	37.5		
09:00	48.5	17:00	52.8	01:00	38.3		
10:00	50.8	18:00	47.3	02:00	37.9		
11:00	54.0	19:00	43.8	03:00	38.6		
12:00	51.2	20:00	39.9	04:00	37.5		
13:00	50.4	21:00	39.4	05:00	39.3		





Commy wy

Laiju P.N.
Laboratory Head
Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standards Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 12939 & "A" Grade Laboratory approved by KSPCB.





TEST REPORT

ULR No: TC1293924000008056F			
LRI No.: SEAAL24040627A	Date: 06-04-2024	Page 2 of 2	

Sl. No.	PARAMETERS	UNIT	RESULT
1	Ambient Sound Level (Leq) Day Time	dB(A)	49.3
2	Ambient Sound Level (Leq) Night Time	dB(A)	37.9

Remarks:

End of Report

Standards

Nesny A.K.
Chemist
Checked by



Laiju P.N.

Laboratory HeadAuthorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standards Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 12939 & "A" Grade Laboratory approved by KSPCB.

Standards



TEST REPORT

ULR No: TC1293924000008057F			
LRI No.: SEAAL24040628A	Date: 06-04-2024	Page 1 of 2	

CUSTOMER DETAILS		
	Mr. Ulahannam	
	Edaputhusseriyil Veedu	
Customer Name & Address	Thalappuzha, Valad P.O	
	Wayanad District	
Customer Reference	Test Request Date: 28-03-2024	

SAMPLE DETAILS				
Product Category	Water	Sample Code	WT24030780	
Sample Name	Ground Water	Sample Received on	29-03-2024	
Sample Description by Customer	Open Well Water	Temperature @ Receipt	27°C	
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	30-03-2024	
Sample Quantity& Packing	1 L & 125 ml in a Plastic Bottle	Test Completed on	06-04-2024	
Information Provided by Customer		Sampled by	Not Drawn by Laboratory	

SAMPLING SITE DETAILS					
Survey No. 57/16,57/1270,57/1069,57/1273					
Village	Valad	Taluk	Manathavady		
District	District Wayanad State Kerala				

TEST RESULTS- CHEMICAL DISCIPLINE					
Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500: 2012
1	Colour	IS 3025 (Part 4): 2021	Hazen	1	5 (Max)
2	Odour	IS 3025 (Part 5): 2018		Agreeable	Agreeable

Nesny A.K.
Chemist
Checked by

Remya B.
TM-Biological

Authorized Signatory

Laiju P.N. Laboratory Head

Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standards Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 12939 & "A" Grade Laboratory approved by KSPCB.





TEST REPORT

ULR No: TC1293924000008057F					
LRI No.: SEAAL24040628A	Date: 06-04-2024	Page 2 of 2			

	TEST RESULTS- CHEMICAL DISCIPLINE				
Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500: 2012
3	Turbidity	IS 3025 (Part 10): 2023	NTU	<0.10	1.0 (Max)
4	рН	IS 3025 (Part 11): 2022		6.95	6.50-8.50
5	Conductivity	IS 3025 (Part 14):2013	μS/cm	70.6	
6	Total Dissolved Solids	IS 3025 (Part 16): 2023	mg/L	45.6 20.1	500 (Max)
7	Total Hardness as CaCO ₃	IS 3025 (Part 21): 2009	mg/L		200 (Max)
8	Calcium as Ca	IS 3025 (Part 40): 1991	mg/L mg/L	5.60	75 (Max)
9	Magnesium as Mg	IS 3025 (Part 46): 2023		1.47	30 (Max)
10	Chloride as Cl	IS 3025 (Part 32): 1988	mg/L	8.81	250 (Max)
11	Total Alkalinity as CaCO ₃	IS 3025 (Part 23): 2023	mg/L	10.2	200 (Max)
12	Iron as Fe	IS 3025 (Part 53): 2003	mg/L	<0.10	1 (Max)
13	Sulphate as SO ₄	IS 3025 (Part 24/Sec 1): 2022	mg/L	<1.00	200 (Max)

	TEST RESULTS - BIOLOGICAL DISCIPLINE				
Sl.No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500 : 2012
1	Total Coliform Bacteria	IS 15185 : 2016		Absent/100 ml	Absent/100 ml
2	E coli	IS 15185 : 2016		Absent/100 ml	Absent/100 ml

Remarks:

End of Report

Nesny A.K. Chemist Checked by

Remya B.
TM-Biological

Authorized Signatory


Laiju P.N.
Laboratory Head

Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standards Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 12939 & "A" Grade Laboratory approved by KSPCB.





Covered Truck Photo



De-siltation Tank



Fencing of Quarry



First Aid Room



Magazine



Quarry Benches



Rain Water Harvesting Tank



Water Sprinkling



Garland Drains



Warning Sign Board



Warning Sign Board



Display Board